



CHOLESTEROL, TRIGLYCERIDES, GLUCOSE POCKET MONITORS

23948 MULTICARE KIT - English/Spanish, manual

23949 MULTICARE KIT - Italian manual

23950 MULTICARE KIT + 10 glucose strips - English/Italian manual

Unique diagnostic device for self-check of glucose, cholesterol and triglycerides. Multi-parameter technology allows to measure, with the same reflectometer, different parameters by simply changing type of strips: in fact, there is a chip in each pack of strips that is specific for each analyses. Regular measuring of these three parameters is important to prevent cardiovascular pathologies if we consider that intolerance to glucose, hyper-cholesterolemia and hyper-triglyceridemia are three of the main cardiovascular risk factors, along with the age, obesity, lifestyle, smoking and arterial hypertension (English, Italian). Multicare is supplied in 3 language carton box (English, Italian, Spanish) with a nylon bag, 10 glucose strips (23950 only), lancet device, 10 lancets, user manual (English, Italian, Spanish as above). Available on request French and Portuguese manual.

23951 MULTICARE DISPLAY KIT

Includes display, multicare kit (23948), glucose strips (23955), cholesterol strips (23957), triglycerides strips (23959), 50 leaflets (English/Spanish). Wide display for

GBMA STRIPS AND CONTROL SOLUTION FOR MULTICARE code Glucose strips - tube of 25 strips + 1 chip 23955 Glucose strips - tube of 50 strips + 1 chip 23956 Chalesterol strips - tube of 5 strips + 1 chip 23957 Chalesterol strips - tube of 25 strips + 1 chip 23958 Triglycerides strips - tube of 5 strips + 1 chip 23959 Triglycerides strips - tube of 25 strips + 1 chip 23960 Glucose control solution 23961 multi Gire 23962 Chalesterol control solution Triglycerides control solution to a second bearing 23963



Practical Device activition by inserting the strip or by pushing



Ve/satile Blood drop can be applied both on the essented ampliand



Innovative Reduced blood vo-Jume 3 microfilters of blood are nee-







Weight

easy reading

Multifunction

measurement

Each thip boy has its own.

codified this for safe





10-40*0





SELF TEST DEVICE

room, italian

rechnickogy

23950

TECHNICAL SPECIFICATIONS

Batteries Cr 2032 3 Volts (32212) 48x 105x22 mm 255 test results with date and time

C € 0123


"MULTICARE IN" - SELF CONTROL OF RISK FACTOR

23965 MULTICARE "IN" KIT

muttiClare is it very singular technology

A new approach for the periodical self-monitor of risk factors - cholesterol, triglycerides and glucose. The only device on sale with reflect-metrical and electrochemical bio sensor suction. "Multicare in" is supplied in carton box with a nylon bag 10 glucose strips, lancet device, 10 lancets and user manual (English and Italian).

The first and only multi-parameter device with double technology BIOSENSOR SUCTION STRIP - glucose Electro-chemical technology for a more pratical use - Requires very little blood samples (7 µl). - Short time for the results (5 sec.) REFLECTOMETRIC SUCTION STRIP - cholesterol and tryglicerides



GIMA	SPARE STRIPS FOR MULTICARE IN
23969	Glucose strips biosensor - tube of 25 strips + 1 chip
23970	Glucose strips biosensor - tube of 50 strips + 1 chip
23971	Cholesterol strips - tube of 5 strips + 1 chip
23972	Cholesterol strips - tube of 25 strips + 1 chip
23973	Triglycerides strips - tube of 5 strips + 1 chip
23974	Triglycerides strips - tube of 25 strips + 1 chip
constanting	LANCETS FOR MULTICARE AND MULTICARE IN
23939	Multicare auto lancet device
23940	Lancets 28g - bag of 25 pcs - expiry 01/2011
23941	Lancets 28g - bag of 50 pcs - expiry 01/2011



TECHNICAL SPECIFICATIONS

Measuring range Measuring time Blood sample Glucose electro-chemical: 10-600mg/dl 37 1 ml Cholesterol 30 150-400 mg/dl 16 ml Triglycerides 50-500 mg dl 303 10 ml 500 test results with date and time Memory Satteries 2 lithium batteries Cr 2032 3 Volts (32212) 48x105x22 mm State

50 g

PORTABLE WHOLE BLOOD TEST SYSTEM

- * 24000 CARDIOCHECK device only
- . 24002 CARDIOCHECK BASIC same as code 24000 but without LIPID PANEL readings.
- 24001 CARDIOCHECK complete system

A powerful diagnostic tool to test blood chemistry parameters

while your patient is in the office.

Lipid panel test: Lipid profile determination (15 multitest strips) of Total Cholesterol, HDL Cholesterol, Triglycerides, calculated LDL Cholesterol and TC/HDL ratio

5 single tests: Total Cholesterol, HDL Cholesterol, Triglycerides, Glucose, Ketones, Accurate, convenient, fast

- Clinical Laboratory accuracy and precision
- Results in 2 minutes or less
- Internal memory for 400 results
- Two button easy-to-use device
- Performs both panel and single tests - No refrigeration required for strips



TECHNICAL SPECIFICATIONS

Size: 76x145x25 mm Weight: 122 g Strip storage: at less than 30°C (room temperature)

Battery operated: 2xAAA 1.5 V, alkaline - life for 300 tests FDA, CE, CLIA professional approved Made in USA

STANDARD ACCESSORIES OF SYSTEM KIT (24001)

Transport bag Plexiglass workstation. Bloodlab device Satteries (2xAAA)

50 micropipettes 50 blood lancets

15 Lipid panel strips 25 Glucose strips

6 total Cholesterol strips 6 HDL Chalesteral strips

6 Triglycerides strips User manual (English)



GMA code	CARDIOCHECK ACCESSORIES
24004	Lipid Panel (total cholesterol, HDL cholesterol, triglycerides, calculated LDL chol. and TC/HDL ratio) - box of 15 test strips (not for 24002)
24005	Total Cholesterol 100-400 mg/dL - box of 25 test strips
24006	HDL Cholesterol 25-85 mg/dL - box of 25 test strips
24007	Triglycerides 50-500 mg/dL - box of 25 test strips
24008	Glucose 20-600 mg/dL - box of 25 test strips
24009	Ketones 2-70 mg/dL - box of 25 test strips
24015	Thermal Printer (18x9x14 cm - 1 kg - 100-240 V)
24016	Roll of 500 labels
24017	Micropipettes 15 µl - box of 200 pcs.
24515	Blood lancets (automatic model) - box of 100 pcs.

32200 AAA Alkaline High Energy Batteries - blister of 4 pcs.

CENTRIFUGES FOR PLASMA AND MICROHEMATOCRIT

24030 ULTRA 8 CENTRIFUGE

Strong and very stable plasma centrifuge made of aluminium alloy, Ideal for routine separation of blood, urine and other fluids.


Provided with a variable speed selector at fixed speeds (800, 1500, 1800, 3300 rpm) and a 30 minutes timer. It includes holder to accomodate 8 tubes, any size, from 15 ml to 3 ml

24035 XC-2000 CENTRIFUGE

24001

Very silent plasma centrifuge with 6 tube positions, provided with electronic counter to allow precise speed setting from 1000 rpm to 4000 rpm (500 rpm increments). It is supplied with holder for 6 tubes of 10 ml and holder for 6 tubes

Operating time is adjustable from 1 to 60 min. Strong ABS structure.



Economic system, easy to use, fully automatic with led indicators, no vibration, silent, rapid and provided with rechargeable battery.

Useful for: small labs, office labs, blood drawing areas, pediatric, neonatal settings, dialysis centers, emergency room labs, veterinarians, sample prep for stat.

 24026 CAPILLARIES for microhematocrit - tube of 500



TECHNICAL SPECIFICATIONS

Nominal RCF: 8 tube capacity (2-15 ml) Maximum volume 120 ml Safety off switch in lid On/Off indicator light Flastic rotor housing Clear Locking lid

220 volt Weight 330x330xh260 mm Dimensions:



 24040 TEST TUBE 10 ml box of 100 pcs

TECHNICAL SPECIFICATIONS

Power Supply: 220V - 50hz

80 W Power

Speed: Approx 1000-4000 rpm (increased in increments of 500 rpm's)

1-60 min Time Capacity 15 mi or 10 mi v 6 Max. RCF 1790 q



TECHNICAL SPECIFICATIONS

Rechargeable battery (battery charger supplied 100 ± 240V plug in). 136 mm (L) x 215 mm (W) Dimensions:

x 122 mm (H) Weight Approx 1.2 Kg DEVICES AGAINST INSECTS, MEDUSAL, SMOKYBITES



 25771 ZANZA-CLICK AFTERBITE

A few clicks to soothe the irritation caused by insects. medusae and nettle.



 25773 ECOSAVE Electronic stimulator against snake bites or poisonous stings of insects and fishes.

Few electric shocks are enough to reduce toxic reaction.



DOCTOR'S OFFICE TOOLS - PROMOTIONAL GADGETS





50000 OPTICAL MINI MOUSE

Ergonomic compact mouse with USB interface, 30% smaller than traditional mouses, ideal for use with portable PC. It can be used with any kind of PC. compatible with Win 95, 98, 2000, ME, XP, NT. Packed in single box.



50050 USB MEMORY - 512 MB

 50051 USB MEMORY - 1 GB USB external memory flash drive. Compatible with Win , Mac OS, Linux. Supplied with installation CD-Rom, 1 m USB cable and neck strap. Material: plastic and aluminium. Packing: single paper box. Size: 6.4 x 2 x 0.8 cm

50070 WEBCAM

PC-digital video camera with USB interface. Resolution 640x480 pixel (VGA), manual focus. Supplied with table fixing system and plastic dip for portable-PC screen. Compatible with Windows 98SE/2000/ME/XP. Installation driver and multilingual instructions,

. 50100 HEART RATE MONITOR

Digital device for sport and fitness heart pulse and calories counter. Compatible with other audio

devices like CD player, MP3 player, radio in order to listen to music during a training session. Main functions: training session monitor with vocal report. heart pulse monitor, consumed calories count, chronograph, watch, alarm clock,

Battery: included, Size 12,5x9x8.5 cm



 50020 WIRELESS MOUSE Ergonomic reliable optical mouse with USB interface available with standard cable or wireless. It can be used with any kind of PC. Compatible with Win 95, 98, 2000, XP, NT, Packed in single box.



. 50060 USB SIM EDITOR

USB device with special slot for phone sim card. Able to back up your sim card, modify telephone numbers list, Importexport data from Outlook & Lotus Notes by USB port. Compatible with Win 98, 2000, ME, XP, NT. Material: ABS. Packing: single paper box. Size: 6 x 2.8x 1 cm

 50250 SOLAR CALCULATOR Desktop calculator with large 8-digit display,

dual solar and battery operated. Battery: included Size: 11 x 15 x 1.5 cm




西多多多多 302399 1008888

 50150 MP3 PLAYER - 1 GB MP3 and WMA files player with radio, USB

2.0 connection. 96x26 dot matrix display with blue back-light, icon interface, multi-language OSD. Easy download by 'drag & drop'. Song title will be displayed (patented MPEG system) with 5 standard equalizer set up (Normal, Rock, Jazz, Classic, Pop). More than 10 hours no-stop

music. Battery: 1 x AAA included



 50200 DIGITAL CLOCK Multifunction Clock with large digital display and aluminium inserts. It shows date. time, day and temperature.

Alarm function with 7 different tunes, timer with countdown. Battery: 2x AG10 included. Material: plastic and aluminium Packaging: single paper box Size: 10.7 x 6.5 x 10 cm

 50300 4 in 1 LASER POINTER PEN

Multifunction metal pen with laser pointer, black ballpoint pen and plastic PDA stylus. Supplied with 3 extra button cell batteries and additional ink refill. Packing: Metal gift box. Battery: included -

 50080 INTERNET **USB PHONE**

It makes possible to have telephone calls using Internet connection (Voip). Compatible with Skype, SJ-Phone, X-Lite, MSN. Net2Phone

softwares. Inner sound card 16 Bit.

USB connection to PC. Battery: included. Size: 12x4.8x3 cm



Removable



OTOSCILLO ELECTRICAL IRRIGATION DEVICE

Otoscillo is designed for automated ear rinsing both in hospitals and during private consultations. Innovative, compact, efficient and rapid, the Otoscillo combines the most sophisticated operating qualities with the best security guarantees, all in a single device.

Anywhere, anytime

Otoscillo is an electrical irrigation for simplified rinsing of the ear canal. The pulsating stream system makes it easier to remove cerumen, even at low pressure control, Otoscillo is particularly adapted to the treatment of sensitive ear canals, It looks less alarming and it is easier to use, with greater accuracy and security, than the alternatives. The water basin is removable to allow easy filling and emptying.


The device is readily usable and easy to clean.

Can be mounted on a wall or a cupboard. Made in Germany Operating power: 220V - 50/60 Hz

Manual in English, French, German, Italian, Spanish

- 25816 SPARE SET (2 tips + disk)
- * 25817 SPARE HANDLE + TUBE
- 25814 DISPOSABLE TIPS SET

(100 disposable tips, 1 disk, connector)



GLASS-METAL, ALL-METAL, AND SINGLE-USE EAR SYRINGES

control system



ALL-METAL SCHIMMELBUSCH SYRINGES

High quality, reliable and accurate syringes.

Schimmelbusch come complete with 3 cannulas and ear bowl. Individually packed in carton box. Made in Europe.

GIMA	ALL-METAL SYRINGES
code	COMPLETE WITH 3 CANNULAS AND EAR BOWL
25806	Schimmelbusch 50 cc
25807	Schimmelbusch 100 cc
25808	Schimmelbusch 200 cc
25809	Spare cannula for Schimmelbush (conical shape)
25812/	3 Spare cannula for Schimmelbush (olive shape) small/large

GLASS-METAL JANET RECORD SYRINGES

High quality, reliable and accurate glass-metal syringes. Janet Record come complete with 2 cannulas, one conical, one oval. Individually packed in carton box. Made in Europe.

code	GLASS-METAL STRINGES COMPLETE WITH 2 CANNOLAS
25801	Janet Record 50 cc
25802	Janet Record 100 cc
25803	Janet Record 200 cc
25804	Spare cannula for Janet Record (conical shape)
25805	Spare cannula for Janet Record (olive shape)

CLASS METAL SYDIMORS COMPLETE WITH 2 CANNOT AS

HIGH CAPACITY POLYPROPYLENE SYRINGES



HIGH CAPACITY POLYPROPYLENE SYRINGES - sterile

Sterile, single use, latex free syringes for ear and other purposes. Made in Italy

MA	HIGH CAPACITY, POLYPROPYLENE SYRINGES STERILE	Minimum	
036	Syringe 60 ml - CAT	55 pcs.	
880	Syringe 100 ml - CAT+Luer adaptor	50 pcs.	
	ole 036	HIGH CAPACITY, POLITROPTLENE STRINGES	



SYRINGES, HYPODERMIC AND MESOTHERAPY NEEDLES, SCALP VEIN SETS





Capacity ml	Gauge	Syringes with needle*	Syringes without needle	Minimum order	
0.5	30G 1/3" R0	26000		box of 100	
1	30G 1/3" R0	26002	41	box of 100	
1	25G 5/8°	26005		box of 100	
2	22G 1 1/4"			box of 100	
2,5	22G 1 1/4"	26010	-	box of 100	
5	22G 1 1/4"	26012		box of 100	
10 CEN	21G 1 1/2"	26015		box of 80	
10 L/L		-	26030	box of 80	
10 ECC	21G 1 1/2"	26016		box of 80	
20 ECC	21G 1 1/2"	26020	26032	box of 80	
30 L/L		-000	26034	box of 80	
60 CAT	-	-	26036	box of 55	
100 CAT		-	26038	box of 50	
CAT: cathete	id space (no residual) in dange cone) in inches of stainless	needle (cannula)	ECC: Eccentro CEN: Centrol	ic Luer	

163": Irright in nifes of stainless needle (sannulal CEN: Central Luer SYRINGES AND NEEDLES: Gima propose a vast range of sterile, latex free syringes with or without needle made in polypropylene and cannula (needles) made in stainless steel



GIMA	HYPODER!	MIC NEEDLES Gauge mm	- STERILE Colour code	Minimum Order
26050	18G 1 1/2"	1.20x40	pink	box of 100
26051	19G 1 1/2"	1.10x40	cream	box of 100
26052	20G 1 1/2"	0.90x40	yellow	box of 100
26053	21G 1 1/2"	0.80x40	green	box of 100
26054	22G 1 1/4"	0.70x30	Diack	box of 100
26055	25G 5/8"	0.50x16	orange	box of 100
26056	27G 1/6" MESO	0.40x4	grey	box of 100
26057	27G 1/4" MESO	0.40x6	grey	box of 100
SCALP V	EIN SETS (BUTTE	RFLY TYPE)-	STERILE- TUBE	30 CM LONG
26060	21G L/L	0.80x19	green	box of 100
26061	23G L/L	0.60x19	mankablum	box of 100
montoletica.	CATETI	HER NEEDLES	- STERILE	a market de conserva de
26067	20G L/L	32 mm	pink	box of 100
26068	22G L/L	19 mm	dask blue	box of 100

AISI 304. All products are sterilized by Ethylene Oxide 10%+CO₂ 90% method and made in Italy. Box in 15 languages.

* Needle detachable, excluding 20000 and 20002 (fixed)

BD SHARPS CONTAINERS

SHARPS CONTAINERS BECTON-DICKINSON

Space saving containers, autoclavable at 121°C with safety cover. Conforms to B57320:1990, ADR UN 3291

- 25822 BD SHARPS CONTAINER 1,4I
- 25823 BD SHARPS CONTAINER 3I
- 25827 WALL SUPPORT for 25823
- 25828 BD SHARPS CONTAINER 71 19,5x27x25h cm
- 25829 BD SHARPS CONTAINER 22,71 32.5x21.5x33h cm



BIOLOGICAL COLLECTORS



	GIMA	POLYPROPYLENE CONTAINERS WITH SINGLE BAG, SINGLE BOX AND ADHESIVE LABEL	Minimum order
7	25970	Urine container - 120 ml with screw cap - graduated to 100 ml	box of 120
	25971	Biological products container - 50 ml screw cap with small spatula	box of 100
Ì	GIMA sode	POLYSTYRENE CONTAINERS WITH SINGLE BAG, SINGLE BOX AND ADHESIVE LABEL	Minimum order
7	25972	Urine test tube - 12 ml Blue sanitary strip	box of 120

SHARPS BINS

25818 CONTAINER 1.5i - box of 100
 25819 CONTAINER 3i - box of 50

Disposable sharps containers 1,5 and 3 litres



PROTECTIVE GOGGLES



- . 25661 POLYSAFE MEDICAL bulk
- . 25660 POLYSAFE MEDICAL with box

They are a vital part of any infectious disease control program for eye protection. They provide a wide field of vision and excellent optical quality. Designed with top and side shields to protect eyes from every angle. They can fit all head sizes comfortably, and have superior optical clarity. Autoclavable. Norms EN 166.



 25664 MILLENIA GOGGLES - black - fog resistant The best quality of protection goggle according to a positionable and innovative design.



25662 SANTA CRUZ GOGGLES - blue

Due to their linear frame design they give total protection to the eyes and a uninterrupted panoramic vision. 5-stop adjustable side arms fit a variety of head sizes with ease. Packed in a nice plastic bag. Autoclavable. Anti-scratch. Norms EN 166 and EN 170





- 25654 GIMA FACE SHIELD
- 25656 VISOR HEAD MASK

Great features

- faceshield with 90° max rotation (25656 only)
- inner and outer surface treated against mist
- superior coverage to protect against droplets and splashes of liquids (25656)

Superior materials

- elastic ritention band in anallergic material
- rotation systems in anodized aluminium
- soft support in anallergic foam
- faceshield in heat-formed acetate with anti-fog treatment

Easy and comfortable use

- fitting headbands adjustable by velcro fasteners
- usable over ophthalmic glasses

VISOR FACE MASK AND SHIELD VISOR SHIELD "PROTECTOR"



25642 VISOR SHIELD "PROTECTOR"

The ultra-light face shield that combines function with style:

protection: a waterproof plastic barrier will protect you

comfort: fast and easy to wear and remove convenience: reusable and replaceable shield

optical quality: superior optical quality, the best you can buy

Medium adjustable size: fits over 90% of healthcare professionals. Fits over glasses. White or green colour.

Supplied with 2 face transparent shields

+ 1 head shield.

25643 REPLACEMENT SHIELD KIT

Includes 2 face transparent shields + 1 head shield



DOCTOR'S WHITE AND SURGICAL COATS, JACKETS, TROUSERS



GOWNS, COATS, TROUSERS AND JACKETS Professional and stylish line with all sizes for men and women, made in high quality 100% cotton. Conform to 89/686/CEE.

THEA	THE GOWNS - GREEN
Size	Men-women
52-56 58-62	26162 26163
100% cotton	TASY CAP -



DOCTOR'S WHITE COATS 100% COTTON					JACKETS				
	Size		Women	Men	Siza	White	Green	Light Slun	Fantasy
Europe	USA	France			S	26130	26140	26150	26170
42	5	38	26111		M	26131	26141	26151	26171
44	5	40	26112	1 3	L	26132	26142	26152	26172
46	M	42	26113	26101	XL	26133	26143	26153	26173
48	M	44	26114	26102	XXL	26134	26144	26154	20
50	L	46	26115	26103		17	TROUSER	5	
52	L	48	26116	26104	5	26135	26145	26155	200
54	XL	50	26117	26105	M	26136	26146	26156	+
56	XL	52	-	26106	L	26137	26147	26157	- 20
58	XXL	54	3.5	26107	XL	26138	26148	26158	
					XXL	26139	26149	26159	-

ANTISTATIC CLOGS - AUTOCLAVABLE AT 135°C

GIMA PROFESSIONAL CLOGS

- active arch support to stimulate circulation

- antistatic material directly injected in the polymeric blend

- perforated sole for breathability and transpiration

- antislip grooved sole safe on wet floor

- machine washable, sterilizable at 135°C

available also with strap for extra security (26471-26482)

- individually packed in carton box

 all models (with or without pores, with or without straps) are available in any size or colour (including red and violet).
 Minimum order for products not coded: 100 pairs.

UPPER WITHOUT PORES UPPER WITH PORES Green Electric Blue Orange White Size White Furthsia Vellow Hine eith strap 34-35 35-36 36-37 37-38 26334 26354 38-39 39-40 40-41 41-42 42-43 43-44 45-46 47-48





AVAILABLE IN OTHER

COLOURS/SIZES

■ GIMA: DISPOSABLE S/S SCALPELS & STAINLESS OR CARBON STEEL BLADES

(€ 0434

"GIMA" DISPOSABLE BLADES - sterile

Standard surgical blades are available in both high carbon and stainless steel and manufactured in accordance with the requirements of British Standards BS 2982:1992, BS 5194: 1992 and ISO 7740:1985. Each blade is hallmarked. Each blade is individually packed in aluminium foil. Carbon Steel blades are VCI paper protected. Blade size are clearly identified on the reverse side of the foil peel-pack and by a colour coded sticker on unit boxes. Supplied sterile in unit dispenser boxes of 100.


"GIMA" DISPOSABLE SCALPELS - sterile


5/5 blade fitted into an ABS plastic handle. Individually packed in sterilized envelope. Safety blade guard. Box of 10 pcs.



"GIMA" SAFETY DISPOSABLE SCALPELS - sterile

Scalpels with stainless steel retractable blade with steadfast disposal lock. Supplied in box of 10 pcs.





Disposable scalpels - blade 22

Disposable scalpels - blade 23

Disposable scalpels - blade 24

PARAGON BLADES AND SCALPELS SKIN MARKER

"PARAGON" DISPOSABLE S/S BLADES - sterile These high quality blades are manufactured with best

British stainless steel. They guarantee excellent sharpening and perfect cut control. Individually packed in metal foil in cardboard box of 100 units. Gamma rays sterilized.

"PARAGON" DISPOSABLE SCALPELS WITH S/S BLADE - sterile Grip on the plastic handle allows stability for long straight incisions. Individually packed in sterilized envelope, reinforced with blade protection, in cardboard box of 10 units.



27046

27047

27048

33181 CLINICON - sterile - box of 10 The Clinicon® Surgical Skin Marker features a versatile tip for precise fine line marking preferred in plastic surgery or when held at an angle, broad line marking for applications in general, neuro and vascular surgery, as well as radiology and radiation therapy. The marker's Gentian violet ink is nontoxic, non tattoing and

surgical prep-resistant. Markings can be removed from the skin with isopropyl (rubbing) alcohol. The gamma radiation sterilized package is easy to open, HIBC bar coded and includes a separate six inch, flexible ruler calibrated in both inches and centimeters.



handle for precise biopsy.

Sterile and ready to use

kai medical - John Williams unique slit system a gormal ach

Hold the pen vertically

while applying a fine line (0.2 mm)

Fox-February lines, hold the

pen at an angle and use

the shoulder of

the time (2 mm)

SUITABLE FOR AUCERIZATION



SINGLE-USE STERILE DERMAL CURETTES









Stainless steel semi-sharp cutting edge for abnormal soft or weak tissue. Size embossed on each curette for easy identification. Sterile ready-to-use, use once and discard. Eliminates need for re-sharpening and sterilization. Wide range of sizes, Used in the following minor surgical skin procedures: Curettage of a basal cell carcinoma, curettage of a verruca and curettage of any other benign neoplasms of the skin.

Clinical Areas. Dermatology, surgical, podiatry, veterinary


GIMA code	DERMAL CURETTES	Minimum order
26950	Dermal Curettes Ø 2 m	m 20 pcs.
26951	Dermal Curettes Ø 3 m	m 20 pcs.
26952	Dermal Curettes Ø 4 m	m 20 pcs.
26953	Dermal Curettes Ø 5 m	m 20 pcs.
26954	Dermal Curettes Ø 7 m	m 20 pcs.

SINGLE-USE STERILE BIOPSY PUNCHES

Stainless steel sharp cutting edge, ribbed handle for sure grip. Size embossed on each punch for easy identification. Suggested for dermatology, gynaecology, podiatry. Each punch is individually 1.5 m sealed in a peel-apart see-through package. Internal Plunger System

Ejects kidged skin specimen inside the metal lumes of the punch

Standard	With	Blade length mm	Minimum order	
26939	26970	Biopsy Punches Ø 1 mm	7	20 pcs.
26940	26971	Biopsy Punches Ø 1.5 mm	7	20 pcs.
26941	26972	Biopsy Punches Ø 2 mm	7	20 pcs.
26938		Biopsy Punches Ø 2.5 mm	7	20 pcs.
26942	26974	Biopsy Punches Ø 3 mm	7	20 pcs.
26943		Biopsy Punches Ø 3.5 mm	7	20 pcs.
26944	26976	Biopsy Punches @ 4 mm	7	20 pcs.
26946		Biopsy Punches Ø 5 mm	7	20 pcs.
26947	2.5	Biopsy Punches Ø 6 mm	7	20 pcs.
26948	- 3	Biopsy Punches Ø 8 mm	7	20 pcs.





SUTURES - FINE WOUND CLOSURE MATERIAL

CLINISILK STERILE BLACK BRAIDED SILK SUTURE B.P.

Non-absorbable sutures made from pure natural silk, braided to form a multifilament thread, double treated with a silicone coating to prevent capillarity and to enhance ease of passage through tissue. Silk sutures are considered to have the best handling and tying characteristics. Suture length: 45 cm.

CLININY STERILE BLUE MONOFILAMENT NYLON SUTURE B.P.

Non-absorbable synthetic monofilament suture made from Polyamide 6.6. No tissue reaction, excellent tensile strenght and handling characteristics.

Nylon is a highly favoured material for skin closure. Suture length: 45 cm.

GIMA code		CLINISILK AND CLININY SUTURES - pack of 12 pc		
Sile	Nylon	Gauge	Needle	Type of needle
25910	25920	2/0	26 mm	Reverse cutting - 3/8
25911		3/0	22 mm	Conventional cutting - 1/2
	25921	3/0	20 mm	Conventional cutting - 3/8
25912	25922	3/0	24 mm	Reverse cutting - 3/8
•	25923	3/0	25 mm	Fine conventional cutting - 3/8
25914	25924	4/0	19 mm	
	25925	5/0	16 mm	Reverse cutting - 3/8
25916	25926	5/0	19 mm	Reverse cutting - 3/8
-	25927	6/0	12 mm	Reverse cutting - 3/8
25918	25928	6/0	16 mm	

CLINISORB STERILE BRAIDED SYNTHETIC ABSORBABLE SUTURE

CliniSorb is a synthetic absorbable braided suture made from a polymer of Glycolic acid. This material is inert, non collogenous, non-antigenic, non-pyrogenic and has a high tensile strength and predictable absorption rate, allowing wound support for approximately 21 days. It is treated with a surface coating to ensure smooth tissue passage and enhance knot sliding. It is not affected by infection,

exposure to protein digesting enzymes in the gastro intestinal tract. Suitable for both skin closure and where nonpermanent wound support is indicated.



GIMA	CLINISORB SUTURES - pack of 12 pcs synthetic		
snda	Gauge	Needle	Type of needle
25900	2/0	24 mm	Reverse cutting - 3/8 - 70 cm
25901	3/0	19 mm	Reverse cutting - 3/8 - 45 cm
25902	4/0	19 mm	Reverse cutting - 3/8 - 45 cm

ROUND STERILIZER DRUMS

ROUND STERILIZER DRUM for autoclave and hot air sterilizer manufactured from stainless steel AISI304. Sliding removable band and drop down clasps.

GIMA code	ROUND STERILIZER DRUMS
26673	Ø 120x h 120 mm
26674	Ø 140x h 140 mm
26676	Ø 160x h 120 mm
26678	Ø 180x h 180 mm
26680	Ø 190x h 160 mm
26681	Ø 240x h 160 mm
26682	Ø 240x h 240 mm
26683	Ø 290x h 160 mm
26684	Ø 290x h 240 mm
26685	Ø 340x h 340 mm
26686	Ø 390x h 250 mm



ALUMINIUM BOXES



- 26662 ALUMINIUM BOX 17.5 x7.6 x h 2 cm
- 26663 ALUMINIUM BOX 18.5 x 9.5 x h 3 cm.
- 26664 ALUMINIUM BOX 21.8 x10.6 x h 3 cm
- 26665 ALUMINIUM BOX 21.8 x 10.6 x h 5 cm

Useful containers for the sterilization of surgical instruments and to maintain them sterile. Rubber tray not included. Nice aluminium box with blue base and silver cover.

26672 RUBBER TRAY 20x10 cm (for 26669, 26664, 26665)

STAINLESS STEEL BOXES



STAINLESS STEEL BOXES

- 26654 STAINLESS STEEL BOX 20 x 10 x h 6 cm
- 26655 STAINLESS STEEL BOX 25 x 12 x h 6 cm
- 26656 STAINLESS STEEL BOX 30 x 15 x h 6 cm

STAINLESS STEEL BOXES WITH HANDLES

- 26668 STAINLESS STEEL BOX 18 x 8 x h 4 cm
 26669 STAINLESS STEEL BOX 20 x 10 x h 4.5 cm
- 26670 STAINLESS STEEL BOX 25 x 12.5 x h 4.6 cm
- 26671 STAINLESS STEEL BOX 30 x 15 x h 6 cm Autoclavable 100°

PLASTIC HOLLOWARE



AUTOCLAVABLE AT 135°C

PLASTIC HOLLOWARE - autoclavable hundreds of time For the protection and delivery of sterile instruments to operating rooms. For the administration of procedures, holding cleansing solutions and the administration of medicines and fluids.

4 good reasons to choose plastic line:

- 50% cheaper than stainless steel equivalent
- autoclavable at 135°C with no limits
- · attractive modern design
- · lighter than equivalent stainless

All products are manufactured from polypropylene material That is easy to clean, resistant to most healthcare chemicals.

- . 26630 GALLIPOT/LOTION BOWL 60 mm 98 ml
- 26631 GALLIPOT/LOTION BOWL 80 mm 200 ml
- 26632 GALLIPOT/LOTION BOWL 100 mm 350 ml
- 26633 GALLIPOT/LOTION BOWL 150 mm 1000 ml
- 26635 KIDNEY DISH 200 x 98 mm 500 ml
- 26636 KIDNEY DISH 250 x 130 mm 750 ml with special nodules on rim to prevent vacuum during
- autoclaving 26638 INSTRUMENT TRAY 200 x 150 x 51 mm
- 26639 INSTRUMENT TRAY 300 x 250 x 52 mm
- 26640 COMPARTMENT TRAY 270 x 180 x 41 mm



■ STAINLESS STEEL HOLLOWARE - AUTOCLAVABLE 121°C - AISI 304











GMA	INSTRUMENT TRAYS Without cover
26600	208x109x h 15 mm
26601	210x160x h 25 mm
26599	223x126x h 45 mm
26602	264x172x h 47 mm
26603	306x196x h 50 mm
26604	355x254x h 50 mm
26597	380x304x h 50 mm
26598	440x320x h 64 mm
	With cover
26605	223x126x h 45 mm
26606	264x172x h 47 mm
26607	306x196x h 50 mm

355x254x h 50 mm 440x320x h 64 mm

GIMA code	BED PANS AND URINALS Bed Pan
26592	320x85 mm
26593	(Round with cover) 354x289x97 mm (Perfection Type)
26590	418x292x85 mm (Fracture Type)
	Orinais
26591	Ø 114x220 mm (Male Vertical)
26578	Male urinal

26608

26609

GIMA code	WASH BASINS
coue	WITHOUT LIP
26586	Ø 310x h 72 mm
26587	Ø 318x h 84 mm
26588	Ø 405x h 95 mm

26579 Female urinal

GBMA code	LOTION BOWLS
- 8	ound Bowds with Fig
26616	Ø 56 mm
26617	Ø 88 mm
26618	Ø 128 mm
26619	Ø 158 mm
26621	Ø 208 mm
26622	Ø 258 mm

code	WITH LID
26623	0.51Ø 106x66 mm
26624	1 I Ø 103x128 mm
26625	21 Ø 127x162 mm

	code	THERMOMETER JAS
i	26628	Ø 33x h 80 mm
1	GBMA	FORCEPS JAR
	26626	Ø 55x h 140 mm
	26627	Ø 55x h 180 mm

GIMA

code

26584 26585

26610 26611 26612	207x128x h 33 mm 254x141x h 33 mm 280x141x h 33 mm
	Regular
26580	162x77x31 mm
26581	207x98x39 mm
26582	247x122x43 mm
26583	309x149x59 mm
	Regular with cover

207x98x39 mm

26589 309x149x59 mm

247x122x43 mm

KIDNEY DISHES









TUNGSTEN CARBIDE INSTRUMENTS - GOLD LINE

GOLD LINE - TUNGSTEN CARBIDE INSTRUMENTS

A top quality theatre use Tungsten Carbide Instruments to help surgeons to perform the precision surgeries with best results. These instruments are more reliable for hardness and corrosion resistance.



26544 Webster needle holder - 12.5 cm



26546 Crile Wood needle holder - 15 cm



26530 Mayo Hegar needle holder - 16 cm 26531 Mayo Hegar needle holder - 18 cm. 26532 Mayo Hegar needle holder - 20 cm



26540 Olsen Hegar needle holder - 14 cm 26541 Olsen Hegar needle holder - 16.5 cm



26536 Mathieu needle holder - 14 cm 26537 Mathieu needle holder - 17 cm

SCISSORS



26500 Straight scissors blunt/sharp - 14.5 cm 26501 Straight scissors blunt/blunt - 14.5 cm

26502 Straight scissors sharp/sharp - 14.5 cm 26503 Curved scissors blunt/sharp - 14.5 cm 26570 Wie Cutter - 14cm - for soft wires 0-1 mm

26504 Curved scissors blunt/blunt - 14.5 cm 26571 Wee Cutter - 18 cm - for hard wires cutting up to 1.6 mm



26526 tris scissors - straight - 11.5 cm 26527 Iris scissors - curved - 11.5 eff



26529 Goldman Fox scissors - curved - 13 cm




26510 Metzenbaum scissors - straight - 14 cm 26511 Metzenbaum scissors - straight - 18 cm 26512 Metzenbaum scissors - straight - 20 cm 26514 Metzenbaum scissors - curved - 14 cm 26515 Metzenbaum scissors - curved - 18 cm



26520 Mayo Scissors - straight - 14.5 cm 26521 Mayo Scissors - straight - 18 cm 26522 Mayo Scissors - curved - 14.5 cm 26523 Mayo Scissors - curved - 18 cm

WIRE CUTTERS



26505 Curved scissors sharp/sharp - 14.5 cm 26572 Wire Cutter - 23 cm - for hard wires cutting up to 2.0 mm



ORGAN HOLDING FORCEPS




MICRO NEEDLE HOLDER



26550 Castroviejo Needle Holder straight - 14 cm - plane tip 26552 Castroviejo Needle Holder curved - 14 cm - plane tip 26551 Castroviejo Needle Holder straight - 18 cm - rough tip



ADSON FORCEPS



26560 Adson - 12 cm 26561 Adson 1x2 teeth - 12 cm <

SCALPELS

SCALPELS AND PROBES

26698 Scalpel straight blade - 13 cm

26703 Scalpel straight blade - 17.5 cm



26704 Scalpel pot-bellied blade - 17.5 cm

26701 Probe - 15 cm - O 2 mm




26702 Butterfly probe - 14 cm

NEEDLE HOLDERS



EEDLE HOLDERS

100901903



26732 Mayo Hegar needle holder - 16 cm 26819 Mayo Hegar needle holder - 18 cm

26733 Mayo Hegar needle holder - 20 cm

26741 Mathieu needle holder - 14 cm 26730 Mathieu needle holder - 16 cm 26731 Mathieu needle holder - 20 cm

MEDICATION STITCH REMOVER FORCEPS/ SCISSORS





26722 Michel stitch remover forceps - 13 cm.

LISTER BANDAGE SCISSORS



34125 Lister scissors - 11 cm 34129 Lister scissors - 15 cm

34130 Lister scissors - 18 cm



STAINLESS STEEL SURGICAL INSTRUMENTS

Straight

26754

26725

26729

26853

26726

26755

26727 26756

26856

26888

26742

26889

26890

26744

26893

26894

26895

26896

26746

26897

26899

26824

Straight

Straight.

SCISSORS

Eliuntisharp

Curved scissors blunt/sharp - 16 cm Curved scissors blunt/sharp - 18 cm

Curved scissors blunt/sharp - 20 cm

Wignerstand

Curved scissors - blunt/blunt Curved scissors - blunt/blunt

Curved scissors - blunt/blunt

Straight scissor - sharp/sharp

Curved scissor - sharp/sharp

Curved scissor - sharp/sharp

Curved scissor - sharp/sharp

Victoria de

26822 No. of Concession,

SURGICAL SCISSORS

Metzenbaum scissors - curved

Metzenbaum scissors - curved

Mayo-stille scissors - straight 18

Mayo-stille scissors - curved

sharp/sharp

sharp/sharp


Shurp/Shara


26892 Straight scissors - sharp/harp/


Curved scissor -

Curved scissor -

26855 Straight scissors - blunt blunt










****	Carrier and sou for for - chr soul
26751	Adson forceps - 12 cm - 1x2
26694	Micro Adson forceps - 12 cm
26695	Micro Adson forceps - 12 cm - 1x



26805 Foerster "small ring" forceps - 25 cm

P		
26845	Duval 14 cm x 10 mm	


Ouval 14 cm x 10 mm 26851	M	ayo	2-st	ille	30	042	15-	cui	rvei	d .	20	cm	
INSTRUMENTS KIT IN ALUMINIUM BOX OR CORDURA BAG	出海1	35.70Z	26703	26704	28.705	M.W.7	26703	2572	26723	26724	28725	28730	28732
Trousse classica - cordura bag 10 instr.		٠						٠		٠	٠		
Trousse suprema - cordura bag 11 instr.		٠				٠				•	٠	٠	
										•			
	INSTRUMENTS KIT IN ALUMINIUM BOX OR CORDURA BAG Trousse standard - cordura bag 9 instr. Trousse classica - cordura bag 10 instr. Trousse suprema - cordura bag 11 instr.	IN ALUMINIUM BOX OR CORDURA BAG Trousse standard - cordura bag 9 instr. Trousse classica - cordura bag 10 instr. Trousse suprema - cordura bag 11 instr.	IN ALUMINIUM BOX OR CORDURA BAG (2) (2) (2) (3) (4) (4) (4) (4) (4) (4) (4) (4) (4) (4	INSTRUMENTS KIT IN ALUMINIUM BOX OR CORDURA BAG Trousse standard - cordura bag 9 instr. Trousse classica - cordura bag 10 instr. Trousse suprema - cordura bag 11 instr. • • •	INSTRUMENTS KIT IN ALUMINIUM BOX OR CORDURA BAG Trousse standard - cordura bag 9 instr. Trousse classica - cordura bag 10 instr. Trousse suprema - cordura bag 11 instr. • • •	IN ALUMINIUM BOX OR CORDURA BAG Trousse standard - cordura bag 9 instr. Trousse classica - cordura bag 10 instr. Trousse suprema - cordura bag 11 instr.	IN ALUMINIUM BOX OR CORDURA BAG	IN ALUMINIUM BOX OR CORDURA BAG Trousse standard - cordura bag 9 instr. Trousse classica - cordura bag 10 instr. Trousse suprema - cordura bag 11 instr.	IN ALUMINIUM BOX OR CORDURA BAG	INSTRUMENTS KIT IN ALUMINIUM BOX OR CORDURA BAG Trousse standard - cordura bag 9 instr. Trousse classica - cordura bag 10 instr. Trousse suprema - cordura bag 11 instr.	INSTRUMENTS KIT IN ALUMINIUM BOX OR CORDURA BAG Trousse standard - cordura bag 9 instr. Trousse classica - cordura bag 10 instr. Trousse suprema - cordura bag 11 instr.	INSTRUMENTS KIT IN ALUMINIUM BOX OR CORDURA BAG Trousse standard - cordura bag 9 instr. Trousse classica - cordura bag 10 instr. Trousse suprema - cordura bag 11 instr.	INSTRUMENTS KIT IN ALUMINIUM BOX OR CORDURA BAG Trousse standard - cordura bag 9 instr. Trousse classica - cordura bag 10 instr. Trousse suprema - cordura bag 11 instr.

26848

26849

26850











DENTAL STAINLESS STEEL INSTRUMENTS

elevator

root

elevator


elevator

Mouth gag

60220 - 11 cm

60221 - 14 cm

Bone Cutter



60226

Beyer Forceps

ENT STAINLESS STEEL INSTRUMENTS AND KIT



26783

26777

26780

10 pcs.

mixed sizes



26764 Killian Hartmann nose forceps - 14 cm (51413/75mm 26777 F.O. Killian nose forceps - 14 cm/75mm fiber optic 26765 Tieck Halle nose speculum - 14 cm

 26780 ENT KIT Includes all instruments. marked with . inside an aluminium box (Code 26665) 21 x 10 x h 5 cm.

> 000 diameter 10 mm diameter 12 mm

diameter 14 mm

diameter 16 mm

diameter 18 mm

diameter 20 mm

diameter 22 mm

5 diameter 24 mm

6 diameter 26 mm

nn:

LARYNGEAL MIRRORS AND SPIRIT LAMP



* 31616 ADJUSTABLE MIRROR HANDLE

* 31615 FIXED MIRROR HANDLE

31615

31612 SET 9 LARYNGEAL MIRRORS 000-6

Set of 9 laryngeal mirrors from 000 to 6, all mirrors have a different diameter; from 10 mm to 26 mm.

minimum order: 1 set of 9 mirrors * 31614 SPIRIT LAMP - 120 cc

Lamp is made of AISI 304 stainless steel. Brass cap to close flame area to avoid discoloration.

31616



UTILITY BAG 27127

• 27127 UTILITY DOCTOR BAG - empty

Practical doctor bag for easy transport of instruments and medications provided with 8 internal movable divisions, 3 external pockets, 8 elasticated retaining, 1 internal pocket with zip, 1 removable mini bag. Size: 36 x 22 x h25 cm.

THERMAL BAG



27209 THERMAL BAG - Colour yellow - nylon
Thermal bag with pockets. Its temperature pack maintains cold or hot temperature for prolonged periods.
Beautifully crafted, durable, insulated bag with detachable shoulder straps. 3 temperature packs included.
Internal size: 30 x 23 x 21 cm. Made in Italy
 27219 THERMAL BAG TEMPERATURE PACK

INSTRUMENT BAGS, VIAL BAGS, DIABETIC BAGS

8 instrum.



 27139 DIATERMO BAG - Colour black - cordura Designed to carry small electrosurgical units; audiometers, spirometers, ECG with their accessories. One division to separate device from accessories and one zip pocket.



 27129 MAXI VIALS BAG Colour red - cordura
 The best way to protect, identify and organize up to 9 phials of any size. Made of two parts, with elastic strips for holding 9 big and 37 small ampoules. Central partition with transparent polyvinyl window for documents. Size: 29 x 22 x h 7 cm.

27133 MEDICATION BAG - Colour blue - cordura
Compact cordura bag made in water-proof anti-scratch
material: 2 internal zip pockets and 9 elasticated retainers for
more instruments. Size: 34 x 24 x h 7 cm.



26649 Mini Instrument bag 18x14xh2 cm




* 27255 DIABETIC BAG - empty - blue

27254 MINI DIABETIC BAG - empty- blue

Thermal pharmaceutical bags made specifically for carrying medications that must be kept at cool temperatures, ideal for diabetics.

Temperature pack included to provide a temperature of about 10°C for up to 10 hours. Exterior material is a water repellent vinyl nylon with a foam backed. Made in Italy

HIGH QUALITY LEATHER BAGS - MADE IN ITALY



27119 PILOTA leather - colour chestnut
 Designed for Professional users requiring extra storage capacity.
 Rigid bottom, 3 inside partitions, two locks.



 27117 DIPLOMATICA leather - colour: black
 Professional leather bag with two compartments inside and internal zip pocket. Quality lock.



27126 PRIMATO prime leather - colour; leather
 2 inside partitions, one with articles-holder, and large zip-fastener pocket. External large zip-fastener pocket, burnished



 27120 VALIGETTA prime leather - colour: leather Rigid bottom, inside zip-fastener pocket and inside folding pocket, burnished lock.



 27114 AOSTA leather - colour: bordeaux Rigid bottom, inside zip fastener central pocket, lateral inside pocket, burnished lock.



 27110 TEXAS leather - colour: chestnut Rigid bottom, inside pocket with button fastening, burnished lock.



27115 SUPERTEXAS leather - colour: black
 With outer pocket and inside zip fastener pocket, 2 burnished locks, inside transversal partition 8 cm. from side, large central area.



27116 SUPERTEXAS leather - colour: chestnut
 With outer pocket and inside zip fastener pocket, 2 burnished locks, inside transversal partition 8 cm. from side, large central area.



SIMULATED LEATHER BAGS - MADE IN ITALY



- 27100 TEXAS skay colour: black
 27101 TEXAS skay colour: cognac
- Rigid bottom, inside pocket with button fastening, burnished lock.



 27104 INFERMIERA skay - colour: cognac
 Rigid bottom, inside zip fastener pocket and inside folding pocket, burnished lock.



27102 ARIZONA skay - colour: cognac
 Folding bottom, inside partition, inside zip fastener pocket, outer pocket, burnished lock.



27105 SUPERTEXAS skay - colour: cognac
 With outer pocket and inside zip fastener pocket, 2 burnished locks, inside transversal partition 8 cm. from side, large central area.



27106 PILOTA skay - colour: cognac
 Designed for Professionals requiring extra storage capacity.
 Rigid bottom, 3 inside partitions, two locks.



 27108 LARGE POLUS skay - colour: cognac Rigid bottom, inside zip fastener folding pocket elasticated retainers for instruments on both inside sides.

KANSAS BAGS - 4 COLOURS

- . 27095 KANSAS skay colour: black
- . 27096 KANSAS skay colour: brown
- * 27097 KANSAS skay colour: electric blue
- 27098 KANSAS skay colour: ochre

Rigid bottom, outer velcro pocket, inside partition, inside zip pocket, lock with key. Made in Asia - Italian design.

AVAILABLE IN ANY COLOUR minimum order 100 pcs

> External dimensions: 42 x 30 x h34 cm



EMERGENCY BAGS - 4 MODELS, 7 SIZES







GIMA code	Model	Material	Colone	Size	internal modular spaces	External pockets
27150	Small	Cordura	red	45x28xh28 cm	3	4
27151	Medium	Cordura	red	55x35xh32 cm	6	4
27152	Medium	Cordura	blue	55x35xh32 cm	6	4
27153	Large	Cordura	red	65x35xh35 cm	6	5
				55x25xh30 cm	3	2
CARADT	PAGE .	meter				

SMART BAGS - empty

pouches

code 27200

Shoulder belt has colour sections.

Colour resulting by child height,

Professional emergency bags extremely capacious with internal adjustable compartments which permit personalized organization of the space. Provided with external pockets, internal divisions, and one (2 for code 27153) removable pouch with transparent window. Made in strong, waterproof cordura material, provided with double yellow refractive strips. Internal lining is removable for easy cleaning.

Waterproof rubber bottom to prevent water infiltration. May be carried on shoulder or hand.

· 27156 SMART PEDIATRIC BAG - cordura - empty

Made of same material and with same finish as smart line. This bag includes 7 colour-coded removable pouches (model E6) with transparent windows and one ampoule kit. Colour-coded pouches (E6) are designed to well organize products (size,) related to child's height.

Shoulder belt has colour sections, same as pouches, and centimeters to allow immediate identification of correct product pouch depending on child's height.



Size: 55x25xh 30 cm. With 2 external pool

2716

27165 EMERGENCY BAG
 Colour red - cordura - 35 x 45 x 21 cm
 Capacious bag, despite the compact size.
 Large central compartment, 1 front and 3 lateral pockets.
 May be carried on shoulder (braces)

or hand (2 handles). Made in strong, waterproof material with yellow refractive strips and rubber bottom. 27160 LIFE-1 BAG with 4 coloured pouches
 27161 LIFE-2 BAG with 5 coloured pouches
 2 section first-aid bag with double opening zig

27160

2 section first-aid bag with double opening zip: bottom side with shockproof inner basin, upper side with 4 (27160) or 5 (27161) removable coloured pouches (model E1) with transparent window. Made of strong, waterproof cordura material provided with refractive yellow strips. Shoulder or hand portable.

Size 35 x 20 x h 35 cm (Life-1), 48 x 25 x 30 cm (Life-2).

27156



PROFESSIONAL EMERGENCY RUCKSACKS IN WATERPROOF CORDURA



27170 LOGIC-1 RUCKSACK - medium
 40 x 20 x h 47 cm

27171 LOGIC-2 RUCKSACK - large
 40 x 25 x h 47 cm

Supplied with 6 (27171) or 5 (27170) coloured pouches with transparent window and velcro strips, 2 frontal pockets and 2 lateral pockets. Internal velcro strips and elastics, to retain

veicro strips and elastics, to retain instruments. Central division with zip and elastics (only 27171). Provided with yellow refractive strips.

27174 AMBULANCE RUCKSACK

Modular extra large rucksack provided with 8 internal pouches, 4 coloured with handle (model E5) and 4 coloured with transparent window (model E2). Velcro internal strips for pouches fixing. Provided with double yellow refractive strip, Size: 40 x 30 x h 57 cm

Professional, resistant rucksack. The Silos bag has a semi-stiff yet padded external structure.

A special rubber layer bottom enhances the sturdiness of this product. Innovative shoulder strap design provides extra comfort to the back.

Inside features: 5 see-through pouches (3 E2 pouches and 2 E4 pouches) and bottle holder, 2 frontal pockets. Size 35 x 28 x h 53 cm.







Thoulder strams





GIMA HOLSTERS - EMPTY	Size	Ned Col	
Large Holster - with pocket	21x12xh6.5 cm	27147	27148
Flat Holster	19x14xh1 cm	27145	27146

GIMA SKINFOLD CALIPERS: MECHANICAL AND DIGITAL





27320 PLICOMETRO - Skinfold caliper - mechanical

• 27346 PLICOMETRO - Skinfold caliper - digital

with PC cable for data transfer

This high precision instrument measures the thickness of a fold of skin with its underlying layer of fat giving physicians the situation of the subcutaneous tissues of the patient. Possibility of re-calibration

Produced to meet International Standards, the Gima "Skinfold caliper" has springs which exert a pressure of 10 g/mm" on the skinfold and an accurate scale which measures thickness in mm. With possibility of re-calibration of the pressure it solves the major problem of traditional skinfold caliper that is reduction of the tension of the spring in the time.

Easy to use and read

With double reading scale (code 27320) or digital display (code 27346), it is supplied with picture showing advised positions for measurements. Tables will help to obtain correct % of bodyfat from measured data and make a correct evaluation of the patient.

Stylish and user-friendly

A special nylon finish makes the device feel skin, avoiding trouble of contact with metal.

Made in metal and sold in an attractive wooden box. Made in Italy.

User manual in English, French, Italian, Spanish.

Data management on PC (only 27346)

Compatible with windows 2000 and XP, does not work with windows 98.

BODY FAT ANALYZER WITH CARRYING CASE

27322 GIMA BODY FAT ANALYZER

Ideal for dieticians, gymnasia and sports centres, it is perfect also for homecare. It will help manage nutrition, fitness and weight control and can indicate if you are at the right weight and also whether or not you are nutritionally healthy. Advanced technology in your hands.

GIMA Body Fat Analyzer measures the flow of electrical signals (total body electrical resistance or impedance) as they pass through FAT, LEAN (muscle, bones, vital organs) or WATER. When the amount of fat, lean or water changes, so does the Body Fat signal, giving you a highly reliable and accurate measure of the amount of each of these components that make up your total weight. Specifically, 4 electrodes are placed over metacarpus and metatarsus where a 50 kHz current is introduced. The detected signal level will be an index of total body water and fat free mass.

Only 2 minutes for an essential and easy test

Testing and results take less than two minutes and have the same accuracy as other more expensive devices.

A lot of meaningful data

FAT: actual weight of fat on the body

LEAN: actual weight of lean, mostly muscle and vital organs

WATER: water content in the body

% FAT: percentage of fat weight in total body weight % LEAN: percentage of lean weight in total body weight BMR: basal metabolic rate

Target Weight: weight goal under optimal condition

Target % Fat: normal percent for sex and age

Portable, for performing test everywhere

Small size and light weight for portability. Body Fat Analyzer helps to get and stay fit.

It helps to maximize personal level of fitness if you want to lose weight, build muscle, tone and trim, or simply be sure you are maintaining your current level of fitness:

- enables you to check effectiveness of weight loss program, telling exactly where your weight loss is coming from (fatlean-water).
- it helps monitoring improvements in muscle mass as a result of exercise and/or diet.
- establishes a baseline for your body composition, so that

nutritional and fitness improvements can be regularly monitored. Body fat is sold with a carrying case, kit of 2 sensor cable, sensor pads (box of 20), 2 x 9V batteries, transformer and manual (English, Italian).

- 27321 SPARE SENSOR CABLES (kit of two) units sold after 06/02
- 27323 SENSOR PAD (box of 20) replacement

Each sensor can be reused 5-6 times.

- 32205 9V ALKALINE BATTERY
- 27324 CALIBRATION KIT

Frequent calibration is necessary for accurate results.

TECHNICAL SPECIFICATIONS

Size: 66 x 176 x 208 mm Test frequency: approx. 50 kHz Test current: less than ImA

Weight: 1,500 g (unit, battery and probe). Power source: two 9 Volt DC batteries or 230V (by transformer).

Norms: 89/336/EEC/ (it is not a medical device)





MEASURING DEVICES AND HEIGHT METERS



27328 TAPE HEIGHT MEASURE

(€ 0008

Clear scale 0-200 cm. Easily secured to a wall.

27333 ELECTRONIC HEIGHT ROD - Soehnle

Measuring range: 50-300 cm (20-118 inch), division: 1 cm.

. 27326 BABY MEASURE "CAUBRO" Weight 300 g Made in oxidized aluminium, metric graduation 0-900 mm, every 5 mm. Certified by Italian "weights and measure office".



Slip-knot caliper in anticorodal for knee, shoulder, wrist, elbow...measuring. Measuring capacity: 150 mm. Burner length: 100 mm.

Tested by Italian "weights and measures office".

27327 CRANIOMETRO - HEAD MEASURE

In special, soft, plastic material. Measures diameter of child head up to 60 cm.

 27341 BMI - Tape Measure Pocket retractable tape

measure 150 cm. BMI (Body Mass Index) calculator on front panel.



POSTURE DEVICES



27338

0 x 55 x 6 33 cm 27353

27326

27353 PODOSCOPE

The podoscope is a device for the plantar analysis of the feet. It has a lacquered wooden structure and a crystal top with an inclined mirror below it for a real view of the sole of the feet, which highlights the points of greatest and least load Double lateral illumination with

high level effect lamps. Max Load 135 kg.

 27352 POSTURAL ANALYZER The postural analyser consists of a bilaminate footboard with adjustable feet.

The two lateral aluminium rods are equipped with millimetric scales along with measuring sliders and strings to allow correct. body alignment (Barré's vertical). Adjustable upper mirror.



For measuring analytical motility of various body segments in degrees (from 0 to 360 in a clockwise or anti-clockwise direction).

Constitute of time paragram print (Street State) that will be transit upon at any granulative due to the relation at the plant paragram from Ton granulative above. one monuted wall and one shortastic walk. Any larger, Ill on



 27345 BRIEFCASE - instrument set Includes: inclinometer and support, goniometer with arms, gibbometer, cirtometer, torsiometer, ruler with visualanalogue scale, retractable tape measure, dermographic pencil. For the most precise and complete (functional, postural, clinical and radiological) measurement of analytical motility and scoliosis.

27330

27330 INCLINOMETER - gravity goniometer (patent)

Used for precise measurement of analytical motility angles of various parts of the body. The instrument can be fixed to the body parts, avoiding the need for

propping to the limbs. Can be used to rapidly measure radiographs (tolerance 0.5").

 27332 TORSIOMETER Used with radiographs for the

evaluation of metameric rotation (Cobb's) and cunation of the

vertebrae by simply overlaying it on the radiograph.

27334 CIRTOMETER

For the measurement of the sagittal and spinal curves and the lumbopelvic region by placing the instrument on the spinous process. Can also be used to evaluate the shape of the gibbus in scoliosis. This graduated flexi-curve holds any position given to it.

27336 GIBBOMETER

Gives a measurement in mm of the gibbus in the scoliosis of the spinal column (tolerance 1 mm).





PROFESSIONAL SCALES



27242 MEDISCALE SOEHNLE 7840

Mechanical-digital scale with high precision and elegant design. The weight is displayed on a LCD display and on the glass scale.



27285 SECA 762 SCALE

Traditional model with large easy-to-read dial. Pointer professional scale in strong metal structure white painted. Consistent accuracy on any surface. Spacious platform design with no slip rubber mat, stable for safety. Tare function.



TECHNICAL SPECIFICATIONS

Capacity: 150 kg Servitivity: 500 g ± 2 g Weight: 4 kg



BODY COMPOSITION ANALYZERS - SCALES



TECHNICAL SPECIFICATIONS

Sensitivity: 100 g Dimension: 550 x 325 x 120 mm Weight: 4 kg Battery: 4x1.5V AA - not included

Capacity: 180 kg LCD display and glass scale

TECHNICAL SPECIFICATIONS

Capacity: max 150 kg (330 lb) min 3 kg (6.6 lb) Sensitivity: 100 g (0.2 lb) LCD Display: 80 x 44 mm Tempered glass: 300 x 300 x 6 mm Battery: 2x CR2032 - not included

27238 WELLNESS SCALE

Measuring body weight, fat, water, muscle content (in percentage) and daily caloric consumption. Overload and low battery indication, weight in kg/lb/st 10 memories.

27237 BODY FAT SCALE

Measuring body weight, fat, water, muscle content, bone mass weight and daily caloric consumption.

Overload and low voltage indication. 4 memories with individual keys for easy

Display all data at the same time. Auto on/off, weight in kg/lb/st.

27237 TECHNICAL SPECIFICATIONS

Capacity: max 150 kg (330 lb) min 3 kg (6.6 lb) Sensitivity: 100 g (0.2 lb) LCD Display: 93 x 45 mm Battery: 4xAA - not included

PRECISION SCALE | SLIM SCALE



27246 PRECISION SCALE

With temperated glass Ø 160 x 4 mm tare function, kg/lb-oz

TECHNICAL SPECIFICATIONS

27246

Capacity: 5 kg LCD display: 35x15 mm Size: 190 x 160 x h 50 mm Sensitivity: 1 g Sattery: 1xCR2032 - not included



With safety tempered ultra slim glass 248x180x3 mm.

Touching key, overload indication, tare function, back light.

TECHNICAL SPECIFICATIONS

Capacity: max 5 kg (11 lb) min 2 g (0,207 lb) Sensitivity: 1 g (0.05 oz) LCD display: 65 x 35 mm Size: 248 s 188 x 16 mm Battery: 3xAAA 1.5V - not included

DIET SCALE

DIFFERENT

 27249 DIET SCALE Measuring weight and nutrition value

of foods. Just input food code, you can easily know calories, fat, cholesterol, fiber, protein, sodium, carbohydrates, of the food. Analysis of 990 kind of foods, ingredients and liquids with a high precision strain gauge sensor system. Ultraslim design: 17 mm and large LCD display.

TECHNICAL SPECIFICATIONS

Capacity: max 5 kg (11 lb) Sensitivity: 1 g (0,05 oz) Lithium battery; not included

GIMA ELECTRONIC BABY SCALE 📒 SECA MECHANICAL BABY SCALE

CE 27313 GIMA 27313 GIMA ELECTRONIC BABY SCALE

Handy, reliable and well-designed electronic baby scale. Provided with large LCD display 65 x 26 mm and kg/lb switch. Multilingual user manual and gift box.

Supplied with height tape meter and washable sheet

TECHNICAL SPECIFICATIONS

Capacity: 20 kg / 44 lbs Dimensions: 595 x 340 x 90 mm Sattery operated: 4k1.5V AA

Sensitivity: 10 g Weight: 4 kg Auto-off function to save battery



27299 SECA 725 - mechanical

27294 SECA 745 - mechanical

CECIE The sturdy classic: with its softly curved weighing tray, the stable all-steel casing and the precise, smooth running weights, this model is the indestructible original baby scale.

TECHNICAL SPECIFICATIONS

Capacity: 16 kg Dimensions: 550 x 190 x 305 mm Made in Europe

Sensitivity: 5 g (27299) 10 g (27294) Weight: 6 kg

27264

HOME CARE BABY SCALE

HOSPITAL DIGITAL BABY SCALE



27309 SOEHNLE 8310 DIGITAL BABY SCALE

Well-designed, easy to handle baby scale made out of plastic Detachable baby tray scale for children up to 20 kg.

Quattro-Tronic technology with 4 load cells for fast readings.

Fully-electronic scale: no wear and tear parts, no maintenance.

- Easy to read LCD-display with 20 mm figures. - One button control for on-tare-off functions.

- "Weight-lock" function for precise and reliable readings.

Tare function to calibrate for baby blankets/textiles.

Battery operated (9V battery - not included).

- Multilingual user manual. Made in Germany,

27304 CASE FOR TRANSPORT

. 27311 TRAY FOR SOEHNLE 8310 - spare

TECHNICAL SPECIFICATIONS

Capacity: 20 kg Battery operated Dimensions: 530 x 240 x 100 mm Sensitivity: 10 g Weight: 4 kg

SOEHNLE Mains or battery operation PROFESSIONAL (Chical CEODM 27263+27264

27263 SOEHNLE 7725 HOSPITAL SCALE - digital

The Soehnle Professional Babyscale 7725 is a two-range scale with high precision and reliability suitable for hospital use (approved class III, MGP class I). The damping and hold function guarantee a stabile weight indication. Another advantage of the babyscale is its high stability for save weighing of our babies. Easy to clean plastic and ergonomic forms without chamfers and components allow a simple and hygenic cleaning.

 High-contrast LCD display with 20 mm high figures Large reading angle

- Automatic zeroing at switch-on

- Tare function key (laid on pad can be tared)

Hold function

Main and battery operation

27264 BABY HEIGHT ROD

Digital and mechanical rod, 35 to 80 cm, division 1 mm.

TECHNICAL SPECIFICATIONS

Capacity: 15 kg Sensitivity: 2 g up to 6 kg, 5 g from 6 kg up Dimensions: 60 x 35 x 12 cm - 4.6 kg

Operating voltage: 220-235 V/50-60 Hz or rechargrable batteries

FAMILY BABY SCALE

27301 FAMILY BABY SCALE

Baby scale suitable for domiciliary use. Capacity 20 kg/44 lbs Scale division: 50 g (0-10 kg) - 100 g (10-20 kg) Plastic tray Dialplate in kg and lbs

Manual zero adjustment



DIGITAL SCALE



27288 PEGASO DIGITAL SCALE with height meter (70x190 cm)

Professional digital scale supplied with integrated height meter.

This scale can be operated by mains or batteries.

TECHNICAL SPECIFICATIONS

Capacity: 200 kg
Dimensions: 335 x 275 x 940 mm
Platform: 372 x 275 mm
Weight: 15 kg
Power supply: 220 V - 30 Hz
Bottery accumulator: 6V 3AH
Becharging time: 4-3 hours
Operating time when fully charged: 36 hours

 27310 ASTRA SCALE - 200 kg mechanical with height meter (75-200 cm) Traditional scale with robust lever system, powder coated platform and column, provided with wheels for easy transport. User manual in English, Spanish, French, Italian, German, Greek, Portuguese, Arabic.

TECHNICAL SPECIFICATIONS

Capacity: 200 kg Sensitivity: 100 g Weight: 15 kg

Weight: 15 kg Dimensions: 275 x 1,485 x 530 mm Platform: 375 x 275 mm

ASTRA SCALE



SECA MEDICAL SCALES - CLASS ®



27284 SECA 756 - mechanical with height meter

Tradition combined with modern design. With a very sensitive precision mechanism to show weight through the aid of a well visible red pointer on the circular dial.

User manual in English, Spanish, French, German, Italian.

TECHNICAL SPECIFICATIONS

Capacity: 100 kg Sensitivity: 500 g Weight: 18 kg Dimensions: 628 x 380 x 1,000 mm Platform: 380 x 350 mm with wheels

- 27296 SECA 711 mechanical with height meter - class III
- 27297 SECA 700 mechanical with height meter

Mechanical column scale with weight adjustment at eye level. Weight can be measured in a conventional way: by aligning two chrome plated indicators. User manual in English, Spanish, French, German, Italian.

TECHNICAL SPECIFICATIONS

Capacity: 220 kg Sensitivity: 100 g (27296) - 50 g (27297) Weight 23.3 kg Dimensions: 520 x 1,556 x 526 mm Platfurm: 350 x 360 mm

FERT SCALES



- 27305 FERT SCALE 200 kg
- 27307 FERT SCALE 150 kg
- 27265 FERT SCALE 150 kg classIII Same as code 27307 but with (III)

All Fert supplied with height meter (95-200 cm). Solid base made of steel with tempered spindles of 6 mm and reinforced bearings in V shape. Chromed balancing arm with easy reading graduation. Easy recalibration on site. Height rod graduated in millimetres

TECHNICAL SPECIFICATIONS

Capacity: 130 kg/300 kg Sensitivity: 100 g Base measure: 300 x 310 x 70 mm Platform measure: 300 x 300 mm antiskid Height: 1400 mm Made in European Community

■ = Metrological Approval for use in medical field (€ ⊕ = Calibration according to class III sensitivity required by 90/384/EEC

SOEHNLE DIGITAL SCALES - Made in Germany.

All scales are provided with dual kg/lb readings.

27290 SOEHNLE 7800 - 200 kg

Digital scale with 850 mm stand, easy to read display with 20 mm figures. Easy one button handling.

 27295 SOEHNLE 7700 - 250 kg - hospital similar to code 27290 but with ((ii) | and dialysis function. Unit switch kg/lb.

. 27269 HEIGHT METER - optional for scale 27290, 27291, 27295 - Maximum height 210 cm

 27279 SOEHNLE 7703 scale with holding device, for handicapped and adiposity patients. Same functions as code 27295.

Weight:

Battery life



330 kg (792 lb)

TECHNICAL SPECIFICATIONS 27279

27290 27295 200 kg (440 lb) 250 kg (550 lb) Capacity Sensitivity: 100 g 50g×150 kg>100 g Dimension mm: 350 x 450 x 860 310 x 400 x 865 12 kg 10 kg Power Supply:

230V - 50/60 Hz. 40 hours 200 hours 120 hours with four 1.5 V mignon batteries

SOEHNLE PROFESSIONAL DIGITAL SCALES 7 digit LCD backle display Power supply or rechargeable with 20 mm high figures batteries Duni kip/bi **UP TO 330 KG** Key pad with 3 weight unit buffers for anibiff, zem Easy to mod setting, turing with a Tatte and function rotary display SOEHNLE PROFESSIONAL CE Flatform 270x275 Large platform (III) mm 290 x 290 mm 27290 100g-200 kg-200 g 890 x 800 x 1,484 27279 27295 All models with 3 languages manual

DIGITAL CHAIR SCALE

(English French, German, Spanish, Italian)



 27286 FITNESS SCALE SOEHNLE 7850 Its body analysis function can measure muscle, fat and water content, in addition to weight, as well as pulse rate and the current energy conversion. The recording takes place by hand contact, saving time enabling the user to stand comfortably on the scale with shoes. In addition, clothing is taken into consideration in the analysis evaluation. 33250 PAPER 57 mm x 25 m - box of 5

TECHNICAL SPECIFICATIONS

Capacity: 180 kg Sensitivity: 100 g (0.2 lbs) Kg/lbs selection function Dimensions: 370 x 670 x 1,290 mm Platform: 365 x 485 x 45 mm Power supply: 100-240 V, 50/60 Hz



27273 CHAIR SCALE

Mobile - with the scale to the patient. Designed for weighing sick or handicapped patients. Fully electronic scale: no wear and tear parts, no maintenance. Easy to read display with 20 mm high figures. One button control for on-tare-off functions

Tiltable arms for easy access for bedridden and frail patients. Powered by either mains or by batteries (4x1.5V mignon batteries) Battery operating life up to 150 hours.

TECHNICAL SPECIFICATIONS

Capacity: 200 kg (440 lb) Sensitivity: 30 gc150 kg-100 g Total weight: 27 kg Dimensions: 580 x 1,100 x 939 mm Operating voltage: 230 V / 50-60 Hz, 10 mA, 2.2 VA Made in Switzerland

> VETERINARY SCALE SEE PAGE 206

BED DIGITAL SCALE

 27270 SOEHNLE 7711 BED SCALE BLUETOOTH Modern bed scale with bluetooth™ link, is perfectly suited for use in hospital. Its four radio-controlled interlocking weighing elements make it easy to install as no complicated cables are necessary. Features: Approved to Class III, MPG Class 1 Wireless transfer of measurement data Easy-Lift-System - innovative lift technology Low power requirement of foot sensors BMI, hold and dialysis function.

TECHNICAL SPECIFICATIONS Capacity: 500 kg /1100 lb Sensitivity: 0-300 kg; 100 g/0.2 lb 300-300 kg; 200 g/0.4 lb Power supply: 230V/50Hz Made in Germany





WHEELCHAIR SCALE



 27274 SOEHNLE 7805 WHEELCHAIR SCALE Transportable by means of 2 rollers and handle. Extremely lightweight platform weighing only 14 kg, with aluminium frame. Weighing platform made of waterproof bonded laminated wood. Anti-slip surface.

C € *** = Approved scales according to 93/42 EEC

Keys to symbols: 42

■ = Metrological Approval for use in medical field (€ ⊕ = Calibration according to class IV sensitivity required by 90/384/EEC



FOLDING WHEELCHAIRS AND COMMODE CHAIR



ECONOMY

- Economy type
- fixed armrest and footrest
- folding
- solid castors
- solid rear wheel

27709

27709 STANDARD WHEELCHAIR - chromed



27715 ROYAL WHEELCHAIR - chromed



27716 EXTRA LARGE WHEELCHAIR - Steel





- Aluminium type - detachable armrest, footrest and brake folding



· 27717 DELUXE WHEELCHAIR - Aluminium 27718 LIGHT WHEELCHAIR - Aluminium

- II	1808	# #		06	83	08		/I		Δ	20.00
65	24	46	59	20	50	87	106	40	45	100	93x24x88 19 21
51	32	35	57	15	48	89	97	36	40	100	87x33x70 13 15
61	28	45	60	15	45	90	106	40	45	100	80x28x72 14 16
72	32	56	60	20	54	93	109	45	46	125	80x33x93 21 23
61	28	46	40	15	45	90	100	40	45	100	72x28x72 13 15
69	36	46	61	15	52	91	105	40	45	120	80x33x92 17 19
55		44	12.5	12.5	51	92	90	44	42	100	54x53x53 17 19
	51 61 72 61 69 55	51 32 61 28 72 32 61 28 69 36 55 -	51 32 35 61 28 46 72 32 56 61 28 46 69 36 46 55 - 44	51 32 35 57 61 28 46 60 72 32 56 60 61 28 46 40 69 36 46 61 55 - 44 12.5	51 32 35 57 15 61 28 46 60 15 72 32 56 60 20 61 28 46 40 15 69 36 46 61 15 55 - 44 12.5 12.5	51 32 35 57 15 48 61 28 46 60 15 45 72 32 56 60 20 54 61 28 46 40 15 45 69 36 46 61 15 52	51 32 35 57 15 48 89 61 28 46 60 15 45 90 72 32 56 60 20 54 93 61 28 46 40 15 45 90 69 36 46 61 15 52 91 55 - 44 12.5 12.5 51 92	51 32 35 57 15 48 89 97 61 28 46 60 15 45 90 106 72 32 56 60 20 54 93 106 61 28 46 40 15 45 90 100 69 36 46 61 15 52 91 105 55 - 44 12.5 12.5 51 92 90	51 32 35 57 15 48 89 97 36 61 28 46 60 15 45 90 106 40 72 32 56 60 20 54 93 100 45 61 28 46 40 15 45 90 100 40 69 36 46 61 15 52 91 105 40 55 - 44 12.5 12.5 51 92 90 44	51 32 35 57 15 48 89 97 36 40 61 28 46 60 15 45 90 106 40 45 72 32 56 60 20 54 93 109 45 46 61 28 46 40 15 45 90 100 40 45 69 36 46 61 15 52 91 105 40 45 55 - 44 12.5 12.5 51 92 90 44 42	51 32 35 57 15 48 89 97 36 40 100 61 28 46 60 15 45 90 106 40 45 100 72 32 56 60 20 54 93 109 45 46 40 15 45 90 100 40 45 100 69 36 46 61 15 52 91 105 40 45 120 55 - 44 12.5 12.5 51 92 90 44 42 100

- 27702 COMMODE WHEELCHAIR - painted
- 27703 COMMODE WHEELCHAIR - stainless steel
- 27705 IV STAND for wheelchair Suitable for all models universal connector
- 27707 FIRE RESISTANT PVC BACKREST AND SEAT spare for 27715 only


HYDRAULIC AND ELECTRICAL LIFTERS

. 27749 HYDRAULIC LIFTER - max load 160 kg Lifting movement through a hydraulic pump operated by adjustable side control lever. Descent movement by independent exhaust-valve. Adjustable base 63 to 105 cm controlled by a manual device for an easy access to narrow places. Painted steel frame. Anti trauma push-handle. 2 rear castors Ø 100 mm, with independent brake and 2 front castors Ø 80 mm. Equipped with universal sling. Made in Italy.

27752 ELECTRICAL LIFTER 160 - max load 160 kg

 27753 ELECTRICAL LIFTER 200 - max load 200 kg Same as code 27749 but with electrical controls. Up and down movements through an electric motor 24 V D.C. and push button. Battery fed with current transformer with an emergency push-button for the immediate stop of the movement and free up/down piston-stroke.

 27757 UNIVERSAL SLING - spare for 27749, 27752 Made of polypropylene, anti-allergic, non toxic, washable.



RELAXING ARMCHAIR

* 27745 RELAXING ARMCHAIR - beige

The relaxing, multifunctional armchair adaptable to any need. Metal structure. Stuffing with non-deformable foamed polyurethane with



RAISED TOILET SEATS

. 27741 RAISED TOILET SEAT HEIGHT om 10 with lateral fixing system. Max load 200 kg.

. 27743 RAISED TOILET SEAT HEIGHT cm 10 with central fixing system and armrest, Max load 130 kg.



WALKER AID AND ROLLATOR



Made of lightweight aluminium tubing, non-slip end and padded handgrips. Size 54 x 58 foldable with adjustable height 74.5-92 cm Weight: 2.4 kg - Load: 100 kg.

27721 ROLLATOR

Size 58 x 54 with adjustable height 51-82 cm. Weight: 4.5 kg Load: 100 kg

 27724 ROLLATOR WITH SEAT

With seat, large front basket and brakes on wheels. Size 71 x 64 cm, adjustable. Height 81-93 cm. Seat at 55 cm.

Weight 8 kg.



SHOWER AND BATH CHAIRS





SOFT AND RIGID COLLARS ARM SLINGS

SOFT CERVICAL COLLARS

This collar is made of soft expanded polyurethane lined with an anti - allergic 100% cotton fabric. Velcro fixing on the back. Available in 3 sizes.

RIGID CERVICAL COLLARS

Made of polyethylene, with comfortable resting support in vinyl leather and height adjustable. Velcro straps on the back. Available in 3 sizes.



code 34600



CE

ligid .	
100	

	1	1
	F	k.
7	8	
1	1	de

Suitable for supporting a sprained or broken arm during recuperation. The shoulder strap is adjustable to allow a correct positioning of the arm. Stitched from cotton fabric requiring normal laundry care. Fits any arm. Available in 3 sizes.

GIMA	POUCH ARM SLINGS
28620	Arm sling - small
28621	Arm sling - medium
28622	Arm sling - large

INVALID RINGS



Quality invalid rings made of latexfree rubber.

GIMA	INVALID RINGS
code	LATEX - FREE RUBBER
28610	Invalid ring Ø 35 cm
28611	Invalid ring Ø 40 cm
28612	Invalid ring Ø 45 cm

34601 Rigid cervical collar 41-46 cm (neck circumference) 34602 Rigid cervical collar 47-52 cm (neck circumference) 34610 Soft cervical collar 43 x 8 cm - small (h 7 cm) 34612 Soft cervical collar 46 x 8 cm - medium (h 8.5 cm) Soft cervical collar 49 x 10 cm - large (h 10.5 cm) 34614

SOFT AND RIGID NECK COLLARS

Rigid cervical collar 32-40 cm (neck circumference)

WALKING STICKS-CRUTCHES [



- 27780 ALUMINIUM WALKING STICK-silver Adjustable height: 68-90.5 cm - weight 0.3 kg
- *27781 ALUMINIUM WALKING STICK black Adjustable height: 66-90.5 cm - weight 0.3 kg
- 27782 FOLDABLE ALUMINIUM WALKING STICK Adjustable height: 82-92 cm - weight 0.3 kg
- 27790 QUADRIPODS FOUR LEG

Aluminium made, height adjustable 72.5-95 cm - 1.1 kg

27793 FOREARM CRUTCHES

Light weight aluminium tube. Anatomic handgrip.

Height adjustable 95.5-118.5 cm. Weight 0.95 kg. Max load 130 kg 27798 T-BAR CRUTCHES

 27775 RACKER To reach and pick-up any object. Height: 82 cm

OUALITY STICKS MADE IN ITALY



WOOD STICKS:

- * 27760 GIOTTO CURVED HANDLE man brown
- 27761 GIOTTO CURVED HANDLE woman brown
- · 27762 RAFFAELLO "T" HANDLE man brown
- . 27763 RAFFAELLO "T" HANDLE woman brown
- 27764 TIZIANO CURVED HANDLE unisex brown
- . 27765 TIZIANO "T" HANDLE unisex brown
- * 27768 LEONARDO METAL CURVED HANDLE unisex black
- 27769 LEONARDO METAL "T" HANDLE unisex black
- Stainless steel type. Adjustable height: 118-130 cm. Max load 130 kg 27772 TIEPOLO CHROMED "DUCK" HANDLE unisex black

THERAPEUTIC ANTIDECUBITUS MATTRESSES UP TO LEVEL III



Antidecubitus therapy system for prevention and therapy of decubitus ulcers for low risk patients (Norton classification)

28501 EURO BASIC ANTIDECUBITUS SYSTEM

Euro Basic is a 3 way alternating pressure therapy system suitable for low risk patients (Norton scale) with decubitus ulcers up to level II (NPUAP). Euro Basic is supplied with an electric compressor and an overlay mattress with 17 individually interchangeable inflatable elements made of PVC-PU; the head elements remain static to improve patients' comfort.

The mattress can be easily connected to the compressor by the quick connectors and is quickly and safely fixed to the bed using the bed-straps with snap release buckles (supplied).

The Euro Basic compressor incorporates a pressure regulator so that the correct inflation pressure can be set according to the patient's weight. It is designed to support a maximum of 120 Kg.

The compressor has a visual alarm which indicates any system fault. The simple to operate CPR function ensures rapid deflation of the mattress for cardio pulmonary resuscitation. The mattress cover is breathable cover, waterproof and easily deaned and can be machine washed up to 60°. System includes pump, overlay and cover.



Prophylaxis and therapy of bedsores up to level II" (NPUAP classification). Low-Medium risk patients (Norton classification)

28500 EURO BASIC ANTIDECUBITUS SYSTEM

- Overlay with 17 interchangeable elements, to be put on traditional mattress.
- Washable elements (up to 60° C) made of nylon/polyurethane.
- Bi-elastic cover, flame retardant, antifungine, antibacterial, washable, perspirant and impermeable to liquids.
- CPR (Cardio-Pulmonary Reanimation) function allows the quick deflation of system in case of emergency.
- The three-way pump working at alternating pressure allows pressure regulation according to the patient's body weight, up to 130 kg (up to 200 with a little modification).
- Pump machine is equipped with alarm led.
 System includes pump, overlay and cover.



TECHN	HCAL SPECIFIC	CATIONS	
	28501	28500	28506
Steventon officialy (Norton scale)	(my risk	Szer streißum nich	median-high mit
Prevention officially (NPUAF scale)	If Name)	H Javot	16 lavel
Type of mattrees	preentay med	unerlay mat	:replacement.mat
Mattress size - orr	200x90x1.t	200±00±13	200:00:21
Mattress weight - kg	2000		9
Mattress material	PVC-PU	tiglia.	n-30
Max patient weight - kg	120	200	250
Defiation time (CPR)	10 800	10 mc.	10 100
Inflation Simo	25 min	20 mm.	10 min.
Cower material	mater	polyweier:	itterw with PU
Power supply	-	- 329/230 V - 50 Hz-	The state of the s
Marries	CR1 YSU 6060	11.1-100E CRIVE GOS	07.1.2-2007

Treatment and prevention of bedsores up to level III" (NPUAP classification). Medium-High risk patients (Norton classification)

28506 EURO SOFT PRO ANTIDECUBITUS SYSTEM Mattress replacement system

- 20 individually interchangeable nylon-polyurethane inflatable elements, 18 cm deep
- Static head elements to improve patient's comfort
- Bi-elastic cover: breathable, bacteriostatic, antifungal, waterproof, fire proof, easy to clean, machine washable
- Polyurethane foam base, 5 cm deep, to ensure patient a sufficient support in case of emergencies
- CPR function for an easy and rapid deflation of the mattress (10 seconds)
- Transport facility: the mattress will remain inflated for 10-12 hours in case of power failure or during patient transport
- Inclination sensor to avoid sacral sinking
- Radiotranslucent surface enables examination without moving the patient

Compressor

- 3 way alternating pressure therapy, with static/dynamic function
- Digital control of mattress inflation pressure
- Max. inflation to assist patient ingress/egress and nursing.
- Hour counter with alarm, indicating when maintenance is required.
- Audio/visual alarm with mute button, indicating any system fault
- Automatic key pad lock, to avoid any unauthorised changes of settings
- Acoustically insulated to ensure almost silent operation System includes pump, mattress, cover and inclination sensor.



ANTI-DECUBITUS AIR MATTRESSES TO PREVENT SORES

28482 MASTER PUMP SYSTEM - with pressure adjustment
 28483 KIT MASTER (AIR MATTRESS 28492 + MASTER PUMP 28482)

* 28483 KII MASTEK (AR MATTRESS 28492 + MASTEK PUMP 28482)
Made of stiff and strong ABS, it may be placed on the ground,
as it has rubber feet, or hung at the edge of the bed.
A control handle makes pressure regulation easier: air amount is
adjustable to suit patient weight from 40 to 150 kg.
The mattress should inflate totally in about 20 minutes.
Air output 2.5 l/min. Master pump can be used with bubble or

interchangeable section mattress.

TECHNICAL SPECIFICATIONS FOR MASTER PUMP - RINT PLUS PUMP

Size: 330x150x120 mm Weight: 1.95 Kg Operating voltage: 230 V - 50 Hz on request 110 V - 60 Hz Power Consumption: 8 W - CLASS II Working pressure: 60-135 mm/Hij Suitable for mattreas: bubble or section Regulations: IEC-601-1 class II Type B Made in Italy User manual in English Spanish, French, Italian, German.



Patient Weight

50kg - 110 lbs 50-80 kg - 110-176 lbs

80-150 kg - 176-330 lbs

Pressure

40 mm/Hg

70 mm/Hg

100 mm/Hg

28493



28492 AIR MATTRESS WITH BUBBLES

This air mattress is divided in bubble sections which inflate and deflate alternatively latitudinally through the alternative compressor. The continual movement given by the pressure pumped inside is useful to prevent minor bedsore problems.

	29497	28492	28493	28495
Size	190x85-cm	190x85 cm	190x85 cm	200x90x10.5 cm
Weight:	2.5 Kg	3 Kg	5.2 80	5.5 Kg
PVC thickness:	0.3 mm	0.4 mm	0.4 mm	0.4 mm
Number of elements		1.0	20	17
Suitable for persons up to	o: 80/90 kg	80/90 kg	100 kg	130 kg

TECHNICAL SPECIFICATIONS MATTRESSES

Number of elements: 20 17
Suitable for persons up to: 80/90 kg 80/90 kg 100 kg 130 kg
28495

Thanks to height of cells.

Aint Plus can be used also with medium risk patients.

 28493 AIR MATTRESS - with interchangeable sections It has 20 sections which can be inflated or deflated alternatively.
 Easy and practical to use, it is ideal for patients with minor bedsore problems.

Elements are jointed in-between and fixed to a PVC sheet.

 28494 INTERCHANGEABLE CELL - spare for 28493
 Press studs which attach each section to the supporting sheet allow an easy exchange in case of damage.

WELFARE KIT LAUNCH OFFER - MINIMUM 10 PCS

* 28489 - PUMP WITH PRESSURE ADJUSTMENT + BUBBLE MATTRESS (28487)

Outline reliable and economic kit with look made to Male.

Quality, reliable and economic left with hook, made in Italy

- 28495 RINT PLUS AIR MATTRESS - beige

- 28495 RINT PLUS AIR MATTRESS - interchangeable cells
Rint Plus Mattress is made of a strong and soft PVC, realized

with 17 big interchangeable bars. The integrated CPR function (Cardio Pulmonary Reanimation) allows the immediate emptying of the 17 bars. It is supplied with bi-elastic, liquid proof and permeable to water-steam cover. Made in Italy.

• 28498 RINT PLUS PUMP SYSTEM - with pressure adjustment

Same as Master pump but with special valve for use with Rint Plus Mattress.

- 28496 INTERCHANGEABLE CELL spare for 28495
- 28497 COVER spare for 28495

■ ANTI-DECUBITUS PVC WATER MATTRESS

28499 WATER MATTRESS

It is made in PVC with a stabilising inflatable external structure to prevent excessive water "wave motion" and of 3 independent units. The water mattress distributes the total pressure on the whole supporting surface, making this less than the average arterial pressure, avoiding the exposure of the skin to pressure risk. Easy to use, it is placed over the usual mattress and it is washable. It is sold with a manual pump, 2 disinfectants and an inflation tube.

Size: 190x85 cm. Weight 4 kg. PVC thickness 0.4 mm





28522 28524 PREVENTION FOR MEDIUM DECUBITUS RISK | PREVENTION FOR MEDIUM-HIGH DECUBITUS RISK



28520 ANTIDECUBITUS GEL CUSHION 40x40x4 cm

Fluid gel grants a perfect distribution of patient's weight by sensibly decreasing the pressure on capillars and avoiding their eventual occlusion. It also gives a pleasant sense of freshness.

- 28522 VISCOELASTIC CUSHION with hole 40x40x3 cm
- 28524 VISCOELASTIC CUSHION without hole 40x40x3 cm It is composed by a Polyurethane gel layer with high pressure absorbing capacity and by a layer of Polyurethane expanded foam. The two layers are wrapped and protected by a special cover easily removable, with transpirant sitting side and waterproof and anti-slip bottom side. Thanks to the Polyurethane gel the contact pressure decreases and improves the distribution of the same. Cover is made of polyammide threaded with PU.

water-proof, transpirant to steam, elastic hypoallergenic and washable in washing machine up to 40°.

- 28526 AIR FLOATING CUSHION 40x40x6.5 cm
- 28528 AIR FLOATING CUSHION 44x44x6.5 cm

Latex cushion with communicating cells. The particular shape of the air cells allows a perfect body positioning and a correct pressure distribution. The alveolar cells allow an optimal adaptation to human shape increasing perspiration and air circulation thus reducing skin maceration. Particularly suitable for patient with skin wounds, medullary lesions, multiple sclerosis, bifid spine. The device is supplied with an anti-slip cover, a pump for inflation and a reparation kit. Available with single valve.

ELECTRIC HEATING PAD URINE BAGS MADE IN EUROPE



- * 28655 ELECTRIC HEATING PAD
- Suitable for many applications.

 28656 ELECTRIC "SAND" HEATING PAD

The use of purified marine sands make it possible to naturally transmit their beneficial warmth. Operating power:

230V-50/60 Hz - 75W (28656) - 55W (28655)

	GIMA	URINE BAGS	Minimum order
5		Urine bag 2000 cc, tube 90 cm Urine bag 2000 cc, tube 90 cm with non-return/exhaust value 18 pouches of 10 pcs.	box of 180 box of 180
直導		Urine bag 2000 cc, tube 130 cm Urine bag 2000 cc, tube 130 cm with non-return/exhaust valve 18 pouches of 10 pcs.	box of 180 box of 180
量"直"	28706	Urine leg bag 750 cc, tube 35 cm complete with lacets and buttons 30 pouches of 10 pcs.	
1 70700	28710	Men's external catheter Ø 30 mm - latex	box of 30
28700	28715	Biadhesive tape	box of 30

HOT WATER BOTTLE ICE BAG



 28600 HOT WATER BOTTLE 100% made of rubber, latex free blue colour. Two side ribbed. Packed in plastic bag with multilanguage user manual




 28605 ICE BAG - Ø 28 cm Made of rubber fabric (cotton/polyester), latex free, Blue colour, Single packed in carton box, with multilingual manual.

TRAVELLING ENEMA



 28720 TRAVELLING ENEMA Supplied in carton box with cannula and tubes Made in Italy.



- 27601 BED WITH 1 ARTICULATION with wheels

Painted steel frame with net.

1 Pipe frame with net for head movement, 200x85 cm.

2 Heads in chromed pipe complete with MDF bilaminated, coated in Formica panel.

Movement by a crank. Protection of end run.

Rubber wheels of Ø 100 mm, with brakes (only for code 27601) Size: 206 x 89 x h90 cm. Height of frame from bottom 52/55 cm.

Size of frame: 200 x 85 cm. Weight 34 kg. Made in Italy

27605



GIMA	ACCESSORIES FOR ALL BEDS
27641	Collapsible supports (for all types of bed)
27644	Lifting pole

4 Hook IV. stand for bed - stainless steel 27546 27647 Inox record holder (for sheets 34x23 cm)

with plexiglass

27610 BED WITH 3 ARTICULATIONS

 27611 BED WITH 3 ARTICULATIONS - with wheels Painted steel frame with net.

3 bed frames with nets in painted steel pipe, 200x85 cm.

2 Heads in chromed pipe complete with MDF bilaminated, coated in Formica panel.

Movement by 2 cranks. Protection of end run.

Rubber wheels of Ø 100 mm, two of which with brake (only 27611) Size 206 x 89 x h90 cm. Height of frame from bottom 52/55 cm. Size of frame: 200 x 85 cm.

Weight 41.4 kg. Made in Italy

- 27605 STANDARD BED no castors
- 27606 STANDARD BED Ø 50 mm castors

Simple bed made of epoxy - coated steel. Head and foot ends with plastic feet. Rigid mesh mattress platform.

- * 27607 STANDARD PLUS BED no castors
- 27608 STANDARD PLUS BED Ø 100 mm castors

Chrome-plated steel bed ends. Laminated plastic panels. Rigid mesh mattress platform. Adjustable back-rest

Size: 200 x 85 x h 50 cm. Made in Italy.

27841 I.V. STAND


With 5 wheels trolley, height adjustable 160 to 245 cm.

x25x5 cm See other IV stand at page 66.

> 27647 27696


MATTRESSES, COVERS AND PILLOWS

@ 700 kg



MATTRESS, COVERS AND PILLOW	5l2s 196x80x12	5ize 195x85x14	
Mattress foam density 30 kg/ mc with Trevira® fire-retardant, transpirant, polyester cover. Validation RE1535D20D1 IM00002	3.5	27682	
Mattress - foam density 30 kg/mc	27690	27680	
Trevira® transpirant, polyester, fire- proof (class 1) cover for mattress	27691	27681	
100% cotton cover for mattress	27693	27683	
Waterproof cover - universal	27695		
Pillow (foam density 21 kg/mc) with Trevira® fire-retardant, transpirant, polyester cover	27696		
ANTIDECUBITUS MATTRESS AND COVER	Size 190x85x14		
Antidecubitus expanded polyurethane mattress (density 30kg/mc) - class 1 IM	27697		
Cover Plus bielastic, flame retardant (norms BS7175: 1989), transpirant to steam, waterproof.	27698		

PATIENT BEDS WITH 1 OR 3 JOINTS, MANUAL OR ELECTRIC



- Bed ends made in epoxy glass finish steel tube
- 1 joint/2 sections or 3 joints/4 sections
- manual movement by 1 or 2 cranks with retractable handles legs fitted with rubber/steel castors with independent brake,
- 3 of which revolving and 1 directional or plastic feet.



- 27658 3 JOINTS BED 2 cranks variable height castors
- 27659 3 JOINTS BED electric castors
- * 27660 3 JOINTS BED electric variable height castors
- 3 joints/4 sections beds adjustable by means of 2 independent cranks (27658) or electric motor 24 V DC and push botton-- height adjustable by hydraulic foot pump (27658) or electric

ACCESSORIES FOR PATIENTS BEDS

motor (27659/60) Legs and other features as 27652

27652	27659		27663 Collapsible support - couple 27664 Universal "telescopic" bed side rails - couple 27667 Infusion pole with universal clamp 27668 Lifting pole			
TECHI 27652/3 ze of platform: 500 stignt neight one 1 betternal measurement: 500	27656/7 27658 27659 27656/7 27658 27659 27656/7 27658 27659 2700/2000 mm 200 400/800 500 950 920/2070 mm	27660 400/800	276	63	27667 27668	27664
lovement: I crank	2 cranks 2 cranks electric	electric	College	sible support	Infusion pole and lifting pol	telescopic bed side rails

SPECIALISTIC BED 3-JOINTS/4 SECTIONS, E



27673 SPECIALISTIC BED with Trendelenburg

Three-joints, four sections bed with adjustable height from 40 to 80 cm with full electrical movements. All welded mainframe made of rectangular steel tube 50x25x2 mm.

Mattress platform with flexible wooden staves, complete with mattress-hold guides.

Backrest-section and leg-section adjustable by means of two independent electric motors 24V D.C. and push-button. Foot-section adjustable by means of a rack device. Fixed pelvis-section. Removable head and foot-end frames made of natural beech finish wood with solid corners and edges. Comes complete with 2 vertical sliding bars with upper/ lower lock/unlock keys and lifting pole. Legs fitted with 4 castors Ø 100 mm with independent central brake.

*27674 INFUSION POLE

TECHNICAL SPECIFICATIONS Size of platform: 500 x 2,000 mm Platform height: 400-800 mm External measurement, 1,030 x 2,140 mm Height of bed end from mattress platform: 50 mm

BEDSIDE TABLES

BEDSIDE TABLES WITH DRAWER AND DOOR

Manufactured from high density chipboard panels, borders made of solid wood (27677) or polish sheet steel structure epoxy glass finish 200°. With drawer, door, removable inner shelf and antitrauma handles.

- . 27677 BEDSIDE TABLE wood feet
- 27670 BEDSIDE TABLE feet
- * 27671 BEDSIDE TABLE castors Ø 50 mm with lateral bottle holder, overbed table.





TRENDELENBURG PATIENT TROLLEY - STRETCHER



27850 TRENDELENBURG TROLLEY

Made of steel-alloy, oven painted ral 9010, with chrome plated handles.

Adjustable height from 40 to 70 cm, with oleodinamic pump.

Trendelenburg up to 9°.

Anti-Trendelenburg up to 14" (with gas pump).

Plastic bumpers at four corners.

4 wheels of Ø 200 mm (2 with brake). Size: 65x184 (internal) x h 50-70 cm.

code	ACCESSORIES	
27810 27853 27854 27855	Side rails (couple) 1. V. Stands Oxygen bottle holder Mattress - black sky 3 cm thick in flame retardant material - 184 x 64 x 3 cm	



PROFESSIONAL WARD STRETCHER



Oxygen bottle holder - chrome plated steel

Fireproof simulated leather mattress - class I - 182 x 64 x 4 cm

27824

27825

- 27819 WARD STRETCHER
- Main features:
- Platform: all-welded mainframe made of different sections steel tube. Section frame made of oval steel tube 50 x 25 x 1.5 mm.
- Push/Pull handle: Made in steel tube Ø 32 x 1.5 mm.
- Surface finish: Epoxy gloss finish standard grey 7035
- Mattress platform section: Two section mattress platform fitted with removable chrome-plated grids made of 5 mm. Ø steel rods and rectangular mesh 100 x 50 mm.
- Backrest: Adjustable by means of a rack device. Fixed leg section.
- Castors Four castors Ø 200 mm made of grey synthetic rubber two of which with independent brake.
- Bumpers: Four bumpers at the corners made of anti-acid and

anti-shock grey resin.

- Delivery stretcher with trolley:
If necessary the upper part is

If necessary the upper part is detachable to enter ambulance or other use.

Made in Italy.





STAINLESS STEEL, RADIOSURGICAL OPERATING TABLES

Designed to satisfy surgical functionality, practicality, quickness and easy maintenance. They allow, with proper accessories, to satisfy every basic surgical activity

- Table top

Divided in 5 sections (head, back, pelvis, 2 indipendent leg sections) with stainless steel structure and plexiglass to allow x-ray permeability and easy cleaning.

Table top is pre-arranged for the insertion of x-rays holders all over its length. Accessories holder (25x10 mm) in stainless steel, covers table top length on both sides.

- Telescopic column

Square and of limited size, covered by anodized aluminium (27560) or stainless steel (27562/4/5/6)), it allows up and down movement (approx. 70-100 cm) by a foot pedal placed at the base through a closed oleodynamic circuit with oil-tight pump avoiding any oil leakage (27560/2/4) or by remote control (27565/6).

- Mattresses

They cover all the table top lenght, made in a long lasting material, sterilizable in autoclave, x-ray translucent and elastics. They are independently removable.

- Base

For Solaris, it is moveable by four large antistatic castors, 2 directional and 2 pivoting with brake. For Gima and Gima TR

code	OPERATING TABLES
27560	Solaris operating table - mechanical
27562	Gima operating table - mechanical
27564	Gima TR operating table with longitudinal translation of table top - 100% radiotransparency
27565	Gima operating table - semiautomatic
27566	Gima TR operating table - semiautomatic with longitudinal translation of table top - 100% radiotransparency
ACCESS	ORIES FOR ALL OPERATING TABLES - 100% stainless steel
27568	Wristlet with clamp - couple
27569	Rectangular s/s gynaecological basin - 200x320x150 mm
27570	Two-hook adjustable IV stand (needs clamp 27571)
27571	Clamp for IV stand
27572	Arm holder adjustable with cushion and clamp
27573	Drape support with adjustable height (needs 2 damps 27576)
27576	Clamp for drape support
27574	Leg holder with radio transparent valve and cushion - couple (needs clamp 27575)
27575	Clamp for leg holder ACCESSORIES FOR SEMIAUTOMATIC TABLES
27558	Infrared control

(mechanical and semi-automatic) base is completely made of stainless steel to ensure perfect stability. It is provided with a locking system to the floor through a foot bar. Transport is allowed by 3 antistatic wheels, one pivoting and 2 directional.

- Movements

Table top size

Lifting system
- Trendelenburg

Height

For Solaris: Trendelenburg and Reverse/Trendelenburg with a "quick hydraulic action" and lateral tilt right-left 20" by crank. For Gima and Gima TR same table movements as above, work through a mechanical system moved by two cranks, positioned at the side, easily retractable, for semiautomatic by remote control.

- Longitudinal translation

Both Gima TR models offer manual longitudinal translation of table top of about 300 mm to allow total elimination of column encumbrance for 100% transparency of top.

- Full range of accessories. All tables come with mattress

 Full range of accessories. All tables come with mattress included, semiautomatic also includes control (with 1 m cable) batteries and crank for emergency of engine.



27560

200x48 cm

70-100-cm

Mechanical

30"

27562,27564

200x48 cm

75-105 cm

Mechanica

35"

27565-27566

200x48 cm

75-105 cm

Electric

35"

-Reverse Trendelenburg	30"	231	25
- Lateral tilt right-left	20*	251	25"
Table top composition - Head section	extractable	and inclinable (+2	5"-90")
- Back section inclination	40" +80"	-20" +80"	-20" +80"
	by gas spring	by gas spring size 48x51 cm	mechanical
- Felvis section size		size 48x49 cm	
- Leg section		two independent wing manual mov	
	pening rightfuft aclination +30°-5		
	oth parts are easi	ly independently	extractable
Operating table capacity:	90 kg 200 kg	160 kg 250 ku	160 kg 250 kg
Marke on Halu	100000000000000000000000000000000000000	1000000	

27559

Battery charger



OPERATING ROOM INOX CABINETS PAINTED STEEL CAB



27917 INOX CABINET Made of AISI 304 stainless steel. Two lockable doors (10/10 thickness), 4 adjustable shelves (8/10 stainless), 4 adjustable feet, with stainless steel cover.

Size: 100x48xh190 cm. Made in Italy



27918 GLASS-INOX CABINET
Made of AISI 304 stainless steel with
two lockable doors in temperated glass 5
mm thick, 4 shelves in temperated glass 6
mm thick and 4 adjustable feet.
Size: 100x48xh190 cm. Made in Italy



 27916 PAINTED STEEL CABINET Epossidic powder painted steel cabinet with 4 adjustable shelves, lockable doors, 4 adjustable feet. Size: 100x50x h 200 cm. Made in Italy

OPERATING ROOM INSTRUMENT TABLES ANAESTHETIC TROLLEY



27913 INSTRUMENT TABLE 2 SHELVES
Operating room instruments table with
tubular aluminium structure with 2,
120x65/64 cm shelves in satinated AISI
304 Stainless steel.
 80 mm Ø revolving castors.
 Weight 30 kg. Size 120x65xh88 cm.
Delivered in kit form.
 Made in Italy



27914 INSTRUMENT TABLE 1 SHELF
Operating room instruments table with
tubular aluminium structure with 1,
120x65 cm shelf in satinated AISI 304
Stainless steel upper part fitted with 4
instrument hooks.
 80 mm Ø revolving castors.
 Weight 21 kg. Size 120x65xh88 cm.
Delivered in kit form,
 Made in Italy



• 27437 ANAESTHETICS TROLLEY
Made of satined AISI 304 stainless steel,
with 6 drawers (internal 26x37xh7 cm),
a lockable vertical compartment and an
open space,
Top with 3.5 cm upstand,
4 revolving castors Ø 80 mm
Size: 60x40x h 110 cm
Weight: 41 kg
Made in Italy

1 OR 3 ENGINES GYNAECOLOGICAL CHAIRS AND STOOLS



rest, GYNEX can be adjusted to any build for the greatest patient comfort. The chair is provided with an electromechanical lifting device, having a secondary power supply at

24V. The electric actuators enable the rising and descent from 57 cm off the floor ("0" position) up to a maximum of 96 cm. The back-rest is supplied with adjustable head-rest and paper roll holder (excluding 27520). The leg-rest can be indipendently adjusted and it has an automatic-locking device.

The chair can be flattened to a bed position for examination activity, the arm-rest can be removed and independently oriented. The electric control of the chair for upright position is operated by means of a foot pedal. Operating power 230V-50Hz (available on request 110 V-60Hz). Made in Italy.

27529 PAPER ROLL HOLDER

5	TANDARD ACCES	SORIES
	GYNEX	GINEX PROFESSIONAL
Poliuretane leg-rest		
Padded leg-rest (colour coo	rdinated)	1000
Paper-roll holder	•	
Metal basin		
Remote control		100
Not included with 27520		



Gynex professional chair offers fuctionality, aesthetics, ergonomic It can satisfy all patient and user needs for to a professional gynaecologic visit. Gynex professional is provided with versatile accessories: back paper-roll dispenser, metal basin, chromed handles, leg-supports. With 3 engines allows, in addition to lifting, electric back-rest and leg-rest movements. Thanks to the combined movement of backrest and seat by means of self-balancing system (operated by 2 silent low tension actuators of 1,000 N each one). Gynex Professional grants maximum comfort to the patient. The padded and pelted arm-rests allow a relaxing protecting sitting position, arm-rest are individually revolving and removable. Backrest is provided with removable height-adjustable head-rest. The wide and soft backrest has independent adjustment movement through silent low tension actuators (1,000 N each one). This chair is moved by a silent low tension engine which allows a vertical excursion of 40 cm from zero position. The electrical drives are controlled by an ergonomic double switch control, connected to the chair by a cable. Gynex professional can be easily transformed into an examination bed (horizontal position).

TECHN	ICAL SPECIFIC	CATIONS
	GYNEX	GYNEX PROFESSIONAL
Power supply tension:	230-50 Hz	230-50 Hz
Motor tension:	24 V	24 V
Lifting motor push:	4,000 N	4,000 N
Backrest motor push:	800 N	2,000 N
Lagrest motor push:		2,000 N
Lifting capacity:	180 kg	180 kg
Maxium power:	90 VA	90 VA
Fuser protection:	1.6 A	1.0 A
th or without ring onal use, completely built	0	Minimumimaximum height

27518 WORK STATION Steel structure, painte		-	
epossidic powder 4 antistatic pivoting	385 mm		=
wheels Made in Italy.	200		
viaue in italy.	#10 mm		
viage in italy.	ato min		
		100	1

STOOL - wit For professiona in stainless steel, 360" pivoting selfbreaking castors, rubber-tyred. Height can be comfortably adjusted by means of a gas pump; back-rest is 180' revolving and depth-adjustable. Seat is balanced density padded and

						in Italy			2	7532	6	-	8	-	-
		_	- 3	GINEX CH	AIRS, S	TOOLS	AND W	ORKS	TATIONS		4	y.		1.	1
	Light blue Buenos Aires	Green Vancouver	Blue Chicago	Orange Amsterdam	Metal Apricot	Metal Sea blue	White	White Helsinki	Gray Stuttgrad	Green Marbeila	Shoo New York	Yellow Dubai	Green Panama	Metal Lemon	Metal Sky Blue
Ginex professional	275		27513	27512"	27515				-		27512				ALC: N
Stool with ring	27521 27531	27522 27532	27523 27533	27524 27534	27525 27535	27526 27536	:				27520" - 27530" -				
Stool without ring Workstation "Available in 60 days		17"	27519	4	-27517"	-	27518		Pape	r nsli hold	- 27517" - er not inclu	ded with	27520		



GYNAECOLOGICAL AND DELIVERY BEDS





27504





27500 DELUXE GYN BED - quality leg holders

 27501 GYNAECOLOGY BED - standard leg holders Strong structure in chrome-plated. Rectangular steel tube. Adjustable head and leg sections. Simulated leather, black colour, washable uphoistery, self extinguishing. Complete with s/s bowl 0 30 cm and leg holders. Made in Italy.

- 27510 DELUXE DELIVERY BED quality leg holders Same as 27500, but with three sections with independent controls and Trendelenburg position.
- 27503 STANDARD LEG HOLDERS couple
- * 27504 QUALITY LEG HOLDERS couple
- Kit leg holders include 2 leg holders and arms.
- 27418 COUCH ROLL HOLDER

3- SECTION MULTIFUNTIONAL AND GYNAECOLOGICAL BEDS



Kit leg holder include 2 leg holder and arms.

Suitable for 27505-27506-27507.

* 27502 3-SECTION MULTIFUNTIONAL BED - blue

27505 3-SECTION GYNAECOLOGICAL BED - blue

Strong and stylish structure in oval tube 50x25 mm, painted with epossidic powder, metallic gray colour. The three sections top has high density padding, covered with washable, fire proof, leatherette material Class 1 IM. Back-rest and leg-rest section are fully adjustable by self mechanical sytem. Gynaecological bed is supplied with 2 foam leg holders and stainless steel bowl Ø 32 cm. Maximum load: 130 kg - Weight: 36 kg. Delivered in kit form.

Made in Italy.

• 27508 STANDARD LEG HOLDER - couple - spare Kit leg holder include 2 leg holder and arms.

27511 COUCH ROLL HOLDER for 27502-5

 27919 DESK with 2 drawers - 130x71x80h cm Strong structure in oval tube 40x20 painted with epossidic powder, metal gray colour. White work top with rubber edge and round corner,

27979 FOOT STOOL - 2 steps







steel fray

370 x 270 x 50 mm

27502



27545 OTO/PV ENT CHAIR with head support - colour on request
 27546 OTO/PV ENT CHAIR with head support - green Marbella
Patient chair with Peltex-lined seat and backrest.

Electric up and down movements by silent engine controlled through foot switch.

Back-rest can be adjusted up to 180° by a gas spring. Chair rotates 360° and is provided with a rotation locking device placed at the bottom. Power: 230V-50Hz (Available 110V-60 Hz). Made in Italy.


• 27550 OTOPEX ENT CHAIR - colour on request

27551 OTOPEX ENT CHAIR - blue chicago

Support pale for monitor

ENT chair designed also for ambulatory operations. Moved by very silent electrical engines operated by joystick foot. Also provided with button to re-set to previously selected working position. Upholstery made of simulated leather, high density undeformable foam padding (50 Kg/cm3). Seat and leg-rest are joined in a single piece. Power: 230V-50Hz (Available 110V-60 Hz). Made in Italy.

ENT CABINETS



27540 OTOPLUS - ENT UNIT

The E.N.T. unit has rubber pivoting castors, a working surface made of scratch-proof rolled sections, 2 small and one large drawers provided of removable internal partitions, one drawer with inside germicidal lamps to keep instrument sterilization. Otoplus is provided with a silent suction pump of 25 l/min (34 l/min on request), with power supply complete with dim adjustment device for Clar/Storz lamp, larynx-mirror warrner, twin-cylinder dry compressor for tubal insufflation, 5-litres distilled water tank with acoustic signal for reseve level. The articulated arm with instrument holding tray is complete with terminal suction cannula, with its accessories, ear rinsing syringe with automatic water temperature control, (a microprocessor keeps temperature at a constant level of 37° C) and terminal insufflation cannula.

Power 230 V-50Hz (Available 110V/60Hz). Made in Italy.

27539 OTOPLUS COMPLETE

Same as code 27540 with included vasister drawers (code 27541) and endoscope support (code 27543).



27554 OTOPLUS DC ENT UNIT

Otoplus unit with additional column, to be used for diagnostic equipment (light source, camera or printer) and a support pole for monitor.

. 27555 OTOPLUS DC ENT UNIT - complete

Same as code 27554 with included vasisters drawers (code 27541) and endoscope support (code 27543)

- 27541 VASISTER DRAWERS 2 indipendent drawers
- 27543 ENDOSCOPE SUPPORT 2 transparent plastic tubes
 Two tubes 50 cm long, one is opened at both extremities,
 the other is closed at the bottom and can be used for cold sterilization.
- 27542 SYRINGE MEDICATION KIT composed of 2 atomizers (for liquid and powder) and 3 ampoules in dark glass.
- 27544 LED LIGHT SOURCE

Makes cold white light (5500°K, 180 lumen) for endoscopy use. It can be connected to endoscopes without necessity of F.O. cable.





EXAMINATION AND TREATMENT TABLE - HIGH LOAD

- * 27577 STANDARD TREATMENT TABLE any colour**
- 27578 STANDARD TREATMENT TABLE blue*
- * 27581 LARGE TREATMENT TABLE any colour**
- 27582 LARGE TREATMENT TABLE blue*

New design examination and treatment table with one movable section and manual adjustment.

Solid detachable metal structure painted with scratch-proof,

non corrosive epoxy powder.

The section trim facilitates. reaching the patient. The head section has an extended mouthnose

Load 200 kg Made in Italy

at to

37.cm

- * usually in stock
- ** available in 15 days





ELECTRIC OR HYDRAULIC HEIGHT-ADJUSTABLE TABLES



27585 PARIS TABLE - any colour (available in 15 days)
 27586 PARIS TABLE - blue (usually in stock)

Examination and treatment table. Height adjustable electrically by a foot-switch (low tension 24 V). Bed with one mobile section, manually adjustable head-section (with mouth-nose hole) and fixed leg-section. Lifting capacity 150 kg. Length 195 cm. Made in Italy.

Examination and treatment table with high stability. Electric height adjustment by a foot-switch (low tension 24 V) or manual by hydraulic piston. Features: one mobile section, gas-spring supported adjustment of the head-section (with mouth-nose hole) and fixed leg-section. The large head-section can be adjusted positively and negatively and serves as back-rest. Lifting capacity 180 kg. Made in Italy.



Examination and treatment tables with electric height adjustment by a foot switch (low tension 24 V) or hydraulic height adjustment by a piston. Features: three mobile sections, gas spring supported adjustment of the head section (with mouth-nose hole) and the other two sections. The table can easily assume the "flexion", "relax" and "trendelenburg" position even if the patient is lying on the table. The large head-section can be adjusted positively and negatively and function as back-rest. Lifting capacity 180 kg.

ACCESSORIES FOR ALL TABLES code Couch roll holder 27590 Wheels set (excluding 27585-6) 27591 Mouth-nose hole plug - any colour 27592 Mouth-nose hole plug - blue 27593

MECHANICAL AND ELECTRIC CHAIRS





28000 LUXOR CHAIR - mechanical


Chair can move up and down. Backrest and footrest are adjustable.

Size: 185x84x h 60/125

27959 STOOL - seat ø 30 cm









WOODEN COUCHES

- 27416 WOODEN EXAMINATION COUCH
- 27417 WOODEN EXAMINATION COUCH with face hole

Comfortable couches, ideal for physical therapy, cardiology and wellness centres. Superior quality beech wood from the Black Forest, Back rest adjustable in 13 positions. Resilient foam padding covered with washable and fire-proof weave. Available in cream colour. Size: 190 x 70 x h70 cm. Delivered in kit form. Easy assembly, tool provided. Made in Italy.

 27409 COUCH ROLL HOLDER for 27416 and 27417 for 27416 and 27417



WOODEN MASSAGE COUCH



27422 DUBAI WOODEN MASSAGE COUCH

Portable wood bed with adjustable legs and flexible head rest. It can be folded in suitcase size for easy portability. 5ize: 185 x 75 x h 68/92 cm. Weight 20 kg. Supplied with carrying bag.

SUITCASE COUCH



27419 Size 182x62x h 70V105 cm (open) SOVERY M. (closed)

SUITCASE COUCH



ALUMINIUM MASSAGE BED



Portable aluminium massage bed with adjustable height, back rest and flexible head rest. Upholstered and covered with simulated leather. It can be folded in suitcase size for easy portability. Size: 185 x 63 x h 69/85 cm. Weight 15 kg Supplied with carrying bag.

MASSAGE CHAIR

27420 MASSAGE CHAIR

Portable multifunctional massage chair




ALUMINIUM SUITCASE COUCH

 27406 ALUMINIUM SUITCASE COUCH with hole Light, foldable, two sections, suitcase couch with aluminium frame. Central double legs for improved safety and block system on the hinges. Head rest with mouth/nose hole. Upholstered and covered with simulated leather.

Maximum load: 110 kg Weight: 13 kg Made in Italy. Size: 62x782 cm 27406

27420



CABINET WITH 1, 2, 4 DOORS



GIMA CABINETS Choice of cabinets with enamelled sheet steel structure and temperated glass. Rack-mounted adjustable glass shelves.

27901 CABINET - 1 door

27905 CABINET - 2 doors

27903 CABINET - 4 doors

3 3 OR 4 WINGS SCREEN



- 27970 3 WINGS SCREEN
- 27971 3 WINGS SCREEN with castors
- 27972 4 WINGS SCREEN
- 27974 4 WINGS SCREEN with castors Aluminium alloy tubular frame.
 Weight 8 kg.

Fire-retardant, washable plastic curtains mounted on feet or castors (Ø 30 mm). Size:150 x h170 cm - 3 wings (50 cm each) 195 x h170 cm - 4 wings (50 cm each)



• 27400 SWADDLING TABLE - beige Baby changing table with Italiumag tubular frame with 2 shelves: 115x60 cm, padded worktop in soft washable simulated leather: 100x40 cm, lower shelf in laminated chipboard panel. Max load: 50 kg

Size: 115x63x h 85 cm Weight: 31 kg Delivered in Kit form. Made in Italy.



SWADDLING TABLE III NEONATAL CRADLE III PEDIATRIC BED

*27398 NEONATAL CRADLE with trolley Transparent unbreakable plastic cradle with edges and ventilation holes. Epoxy powder painted mainframe made of laminated curved and welded steel. Shape of trolley allows horizontal and Trendelenburg inclinations and bedside positioning. Legs fitted with 4 castors Ø 80 mm, two with brake. Dimensions 82x53x90 h. cm

Weight 14 kg Made in Italy *27685 MATTRESS 63x37x5.5 cm - fireproof

*27686 COVER - water proof



*27399 PAEDIATRIC BED 1-4 years 200°C epoxy powder painted mainframe made of steel tube Ø 30 mm, ready to be hooked into the mattress platform. Mesh mattress platform made of oval tube 40x20 mm, fixed to the mainframe with removable bolts. Side rails 62 cm h. sliding on chromed steel guides, with safety device. Legs with 4 castors Ø 80 mm, two with brake. Weight 35 kg External measurement 140x70x130 h, cm Inner size 130x65x63 h. cm. Made in Italy



COUCH PAPER - ROLLS AND HAND PAPER ROLLS/TOWELS



		The state of the state of	ACCOUNT OF THE PARTY OF	T-07	
GIMA code	27410	27411	27412	27414	27415
Material	pure cellucotion embossed	embosed coated	cellucotton embossed	cellucotton ply coated with a polythene ply	cellucotton ply coated with a polythene ply
Colour	white	white	white	light blue	white
Ply	1 ply	2 piy	2 ply	2 ply	2 ply
Weight	30 a/m1	2x26 g/m ²	2x18 g/m²	25 g/m, 16.5 g/m polyh.	28 glmi, 9 gmi polyh.
Lenght	95 m	47.5 m	46 m	50 m	50 m
Height	50 cm	60 cm	50 cm	49 cm	60 cm
Number of sheet	250	125	135	132	
Perforation	38 cm	38 cm	34 cm	38 cm	40 cm
Rolls x box	5	0	9	6	0



Pack of 150 pcs.

 25205 DISPENSER For C fold hand towels

 25210 HAND TOWEL ROLLS Pure cellulose, 2 ply Size 23 x 24 cm N" of sheets: 240

box of 12 rolls 25215 DISPENSER



27418 COUCH ROLL HOLDER

Adjustable roll holder suitable for round (Ø 27-30 mm) or square (27-30 mm x 27-30 mm) metal couch leg.

25205

HEIGHT ADJUSTABLE STOOLS



- 27954 STOOL white
- 27955 STOOL black
- 27956 STOOL blue

Padded simulated leather seat Ø 36 cm.


Height adjustable 50-60 cm Plastic base with 5 castors.



- 27959 STOOL white * 27960 STOOL - black
- 27961 STOOL red
- Padded simulated leather seat Ø 30 cm.

Height adjustable. Metal base with 5 castors.





 27963 STOOL - black 27964 STOOL - green Padded simulated leather seat

Ø 36 cm with back.

Height adjustable 60-84 cm Plastic base with ring and 5 castors.



 27966 STOOL - white 27967 STOOL - black

 27968 STOOL - blue Padded simulated leather seat

Ø 36 cm with back. Height adjustable 54-69 cm Plastic base with 5 castors.



- 27950 STOOL feet
- 27951 STOOL castors Stainless steel seat Ø 28 cm. Height adjustable 44-56 cm Plastic base.



 27948 STOOL - feet Stainless steel seat Ø 28 cm. Height adjustable 44-56 cm Aluminium base with feet.



 27952 STOOL - gray Washable padded simulated leather seat @ 31 cm. Height adjustable 49-61 cm Plastic base with foot.



 27953 STOOL - gray Washable padded simulated leather seat Ø 31 cm. Height adjustable 49-61 cm Plastic base with 5 castors.



27930 CHAIR plastic seat

Enamelled steel frame chair with laminated plastic seat and back. White painted frame. Stackable. Load 120 kg.

27932 CHAIR padded seat

Italiumag white painted frame chair with grey padded seat and back. Stackable, Load 120 kg.

27933 CHAIR padded seat with armchairs

Same as 27932 but with padded arm-rests. Made in Italy

DOCTOR TROLLE

 27446 DOCTOR TROLLEY Useful trolley made of plastic material (ABS) provided with 9 drawers of different sizes. Height of drawers: two 8.5, five 5.5. two 2.7 cm. Size: 38 x 30 x h 72 cm. Made in Europe





OFFICE CHAIRS WITH ARMREST



- 45070 CUNEO fabric red
- 45071 CUNEO fabric grey
- 45075 CUNEO leatherette black fireproof

Functional office upholstered chair, with armrests and polypropylene swivel base, movable backrest with permanent contact. Perfect solution for consulting rooms/offices.

Weight	Backrest height	height	Width	Depth
12 Kg	98/111 cm	42/52 cm	56 cm	49 cm



45081 CREMONA - fabric - grey
 45082 CREMONA - fabric - blue
 Superior quality chair with neat linens, upholstered seat and backrest for greater comfort, swivel base, armrests, permanent contact movement of the backrest. High density and thick foam.
 ENI 1335/1/2/3.

Weight	Backrest height	Sout height	Width	Depth
12 Kg	90/107 cm	45/52 cm	58 cm	44 cm



 45090 REGGIO GREY - fabric - red Stylish chair with armrests, swivel base, upholstery with comfortable foam, permanent contact of the back and gas height adjustment.

Modern round grey frame make it suitable

for any environment. ENI 1335/1/2/3.

Weight	Backrest height	Seat height	Width	Depth
12 Kg	95/108 cm	45/57 cm	62 cm	45-cm





- 45120 SAUSBURGO executive swivel chair - leather - black
- 45122 SALISBURGO visitor cantilever chair - leather - black

High and low back stylish executive chairs.

Refined lines and maximum comfort. 2 positions tilting movement, swivel base, polypropylene armrests, height adjustable by gas jump.

GIMA	Weight	Backrest height	Seat	Width	Depth
45120	17 kg	118/128 cm	43/53 cm	62 cm	55 cm
45122	14 kg	95 cm	45 cm	62 cm	35 cm



- 45030 ISO fabric red
- 45032 ISO fabric blue
- 45035 ISO leatherette black fireproof Comfortable upholstered chair with 4 legged frame.

Can be used for patient and waiting rooms, with Cuneo and Cremona chairs. Comfortable seat made of expanded polyurethane hit injected heliocell foams.

Weight	Backrest	Seat. height	Width	Depth	
7 Kg	82 cm.	45 cm	53 cm	43 cm	



- · 45050 CUNEO B fabric red
- . 45051 CUNEO B fabric grey
- 45055 CUNEO B fabric black


Low back swivel chair, without armrests. Permanent contact of the backrest and height adjustable by gas pump.

Weight	Backrest	Seut height	Width	Depth
11 Kg	85/98 cm	42/52 cm	36 cm	49 cm

 45000 KETTY - plastic red Made of anti-static plastic, Stackable.

Highly resistant, round, chrome plated tube frame

X-RAY ILLUMINATORS - LIGHT BOXES



X-RAY ILLUMINATORS

GIMA light boxes are designed according to clinical standards for an extra white light for an accurate and precise reading of any detail. Incorporates a 3 mm acrylic screen compliant with safety norms (fuses, Shuko plug, green light On/Off, ...). Can be used on the table placed horizontally, vertically, or wall mounted.

Body made of oven-fired epoxy powder coated aluminium and injected ABS (colour RAL 7035).

TECHNICAL SPECIFICATIONS

Colour temperature: Cool white 6,500 °K

Power supply: 230 V -50 Hz Protection fuse: 2x1A

Bipolar light switch Schuko plug with 2 m cable

All components UL, DVE, IMQ approved

Made in Italy

GMA code	X-RAY ILLUMINATORS - LIGHT BOXES		tater mension Weight	na fun			
27364	Light box 38x38 cm	43	43	12		N.	1 panel
27365	Light box 38x62 cm	67	43	12		ini	1.5 pane
27366	Light box 38x92 cm	(27	43	til	11	200	2 panels
27367	Light box 38x122 cm	127	43	12	14	20000	3 panels
27368	Light box 38x153 cm	756	43	12	18	-	4 paners
27369	Light box 76x122 cm	127	21013	12	28	200	2x5 parent
27370	Light box 76x153 cm	728	2541	til	26		2n4 panels
27372	Light box 92x38 cm	41	WT	12	11	1	2 panels vertical
27373	Light box 122x38 cm	41	127	12	14	1	3 panels
27378	Neon tube for 27364 Neon tube for 27365					17.	yeritte

VALUE FOR MONEY LIGHT BOXES



GIMA x-ray illuminators has been designed according to clinical recommendations for an extra white light to give an accurate and precise reading of any detail.

Manufactured with metacrylate screen, and according to safety norms (fuses, shuko plug, green light on/off, ...). The unique film gripping system gives full use of viewing area. White colour. Made in Italy.

AVAILABLE ALSO WITH ADJUSTABLE LIGHT

GIMA	X-RAY ILLUMINATORS - LIGHT BOXES	dimensions (cm) Liength Height Septh Weight					
27356	36.5x40 cm	38.5	43.5	119	3.4	BB	T panel
27357	36.5x40 cm - adjustable	38.5	42.3	.11	3.4	100	1 panel
	75x40 cm Round fluorescent light - spare	77	42.5	13	-11	pes	EZ parvetu.

ISHIHARA COLOUR TEST

- 31290 ISHIHARA COLOUR TEST box of 10 plates
- 31291 ISHIHARA COLOUR TEST box of 24 plates
- 31292 ISHIHARA COLOUR TEST box of 38 plates

These series of plates are designed to provide a test which gives a quick and accurate assessment of colour vision deficiency of congenital origin. This is the most common form of colour vision disturbances. Most cases of congenital colour vision deficiency are characterized by a red-green deficiency which may be of two types: first, a protan type which may be absolute (protanapia) or partial (protanomalia), and secondly, a deutan

type which may be absolute (deuteranopia) or partial (deuteranomalia)

k of 10 plates - for unlettered k of 24 plates k of 38 plates	
	k of 24 plates

LANG STEREOTEST

- 31294 LANG STEREOTEST I
- 31295 LANG STEREOTEST II

Stereotest I was created to simplify stereopsis screening in children. It is based on two principles: on random dots and on cylinder gratings.

Stereotest II is a further development and helps the assessment of binocular vision.

31296 LANG FIXATION STICK

- 31297 LANG FIXATION CUBE white 31298 LANG FIXATION CUBE - red

31296



31298

LAME OF PROPERTY



ULTRA SLIM X-RAY ILLUMINATOR - DESKTOP AND WALL

SLIM X-RAY ILLUMINATORS

The new generation of X-ray illuminators with advanced back light TV LCD technology and colour temperature of 7200°K for superior viewing and reading of radiography. Double support for horizontal or vertical wall mounting or desktop. Frame in antiscratch anodized aluminium. Film gripping system included.


Economic advantages:

- bulb life 50,000 hours, with low maintenance costs
- low consumption compliant with European law

Fully adjustable desktop model:

Position of panel can be totally adjusted:

- height adjustment 13 cm
- inclination 35" (+25"/-5")
- vertical or horizontal positioning (27395 only)
- horizontal rotation 10" (270" for 27395 only)



















notation Titl

TECHNICAL SPECIFICATIONS

Colour temperature: Cool white 7200 °K Power supply: 230 V - 50/60 Hz Back light TV LCD Technology Bulb life: 50,000 hours Brightness: 3500 cd/m/ All components UL, DVE, IMQ approved Made in Italy

GIMA	WALL X-RAY ILLUMINATORS LIGHT BOXES	Sangth	na pri	Depth	Weight kg	Switches		
27374	Light box 42x36 cm	40	50	3	4	1		1 panel
27375	Light box 42x72 cm	92	50	3	- 8	1	100	2 panels
27376	Light box 42x108 cm	118	50	3	12	1.	-	3 panels
27377	Light box 42x144 cm	154	50	3	10	1	_	4 panels
	DESKTOP X-RAY ILLUMINATORS LIGHT BOXES							
27395	Light box 42x36 cm x1	46x1	51	3	.0	- 1		1 panel
	Light box 42x36 cm x2	45x2	31	3	20	2	min.	2 panels
27397	Light box 42x36 cm x3	46x3	31	3	26	3	men	3 panels

ILLUMINATED AND NOT ILLUMINATED OPTOMETRIC CHARTS











GIMA luminous optotypes have been designed according to clinical recommendations for an extra white light to give an accurate and precise reading of any detail.Manufactured with acrylic screen, and according to safety norms (fuses, Shuko plug, green light On/Off,...)

TECHNICAL SPECIFICATIONS

Viewing Area: 24 x 62 cm / 24 x 61 cm External dimensions: 29.5x67.5x12 cm / 29 x 60 x 2.5 cm Weight: 6 kg / 2 kg Made in Italy Other specifications like negativoscopes page 64

OPTOMETRIC CHARTS	Illuminated GIMA code	Not illuminated GIMA code
Armagnac - 5 m	27380	27390
Monoyer - 3 m	27381	27391
Mixed decimal - 3m	27382	27392
Children - 3 m	27383	27393
Animals - 5 m	27384	CONTRACTOR
Spara Tube 700	27200	24

MIXED DECIMAL	MONOYE
3m	3m
27387	27381


CHILDREN
3m
• 27383

ANIMALS 5.5m • 27384

ARMAGNAC Sm 27380

I.V. STANDS

TRIS TROLLEY





27438 TRIS TROLLEY

A practical trolley for ECG, Electrosurgical unit or any other device, with 4 nylon castors and 2 lateral handle for easy moving.

EXCEL TROLLEY

Revolving castors Ø 50 mm. Size: 49 x 37 x h 77 cm. Shelf size: 40 x 30 cm. Colour: RAL 9002 Delivered in kit form. Made in Italy

PROFESSIONAL CARTS





PROFESSIONAL CARTS 27885 PRO CART 2 shelves 27886 PRO CART 2 with insulation transformer 800VA 27887 PRO CART 2 + keyboard, monitor support 27890 PRO CART 4 shelves PRO CART 4 with insulation transformer 1600VA 27892

TECHNICAL SPECIFICATIONS

27893

27874

27876 27877

Load capacity: total load 240kg - shelf 35kg Material 60.8x50 cm Shelves 2 or 4 shelves 50x50 cm + base

PRO CART 4 + keyboard, monitor support

vertical extrusions in aluminism plastic parts in A85

Basket.

Infusion stand

Push-handle

Extra shelf 50x50 cm

27873

27874

27876

27877

27878

27879



- 27440 EXCEL TROLLEY -
- 3 shelves (60x45cm) Size: 60x45x h78 cm.
- 27441 EXCEL TROLLEY -
- 4 shelves (60x45cm) Size: 60x45x h110 cm. Delivered in kit form. Made in Italy

27887

27873

27893

and drawer



MULTIFUNCTIONAL CARTS

BUILD UP YOUR **FAVOURITE CART** suth 4 hook metal support 27870

SUPER EASY CART: A new stylish and quality cart you can build according to your needs
TECHNICAL SPECIFICATIONS

Dimensions: 47 x 42 x 79 cm Shelf: 32 x 26 cm or 40 x 36 cm Load capacity: total load 120 kg

shelf to ko 4 castors @ 80 mm extrusions in aluminium Material:

plastic parts in ABS Made in Italy



GIMA	SUPER EASY CARTS - WITH HANDLE
27870	Cart with 1 shelf (32x26 cm)
27869	Cart with shelf, and monitor support
27871	Cart with large shelf (40x36 cm)
	ACCESSORIES

27872 Extra shelf 32x26 cm 27873 Basket

27874 Infusion stand 27875 Extra shelf 40x36 cm

SMART CARTS



SMART CART - grey/white RAL 7035 Carts with 3, 4 or 5 wide sturdy, shelves 4 castors Ø 80 mm (2 with brake). GMA CMART CARTS

sode	SMANI CARIS
27895	Cart h80 cm 3 shelves 40x36 cm
27896	Cart h90 cm 4 shelves 40x36 cm
27897	Cart h115 cm 5 shelves 40x36 cm
27873	Basket
27874	Infusion stand

EASY CARTS



height of shirtles

TECHNICAL SPECIFICATIONS

Dimensions (WaDxH): 50x45x79/88/112 cm Load capacity: total load 140 kg shelf 25 kg 40x36 cm

4 castors Ø 80 mm Material:

Made in Italy

 vertical aluminium extrusiom - plastic parts in ABS

EASY CART

27881

A complete line of stylish and sturdy carts with 3, 4 or 5 shelves and with power.

code	EASY CARTS
27880	Cart h79 cm 3 shelves 40x36 cm
27881	Cart h88 cm 4 shelves 40x36 cm
27882	Cart h112 cm 5 shelves 40x36 cm
27883	Cart h79 cm 3 shelves 40x36 power



ACCESSORIES EASY CARTS				
Basket				
Infusion stand Extra shelf 40x36 cm				

STAINLESS STEEL, INSTRUMENT AND DRESSING TROLLEYS



• 27430 INOX TROLLEY

AISI 304 Stainless steel trolley with plastic drawer internally divided in 4 sectors. 2 shelves with upstands (3,5 cm) on four sides. Revolving rubber castors. 0 80 mm (two with brake). Size: 70x50x h. 82 cm Delivered in kit form. Made in Italy



- 27433 MEDICAZIONE TROLLEY small Size:
 27431 TER TROLLEY
 60x40x h 81 cm weight 9 kg
 AISI 304 Stainless stee
- 27434 MEDICAZIONE TROLLEY medium
 Size: 70x50x h 82 cm weight 10 kg
- 27435 MEDICAZIONE TROLLEY large Size: 90x60x h 85 cm - weight 15 kg AISI 304 stainless steel trolleys, with push handle, 2 shelves with upstands (3,5 cm) on four sides, 4 revolving rubber castors © 60/80/100 mm.

Delivered in kit form. Made in Italy



27431 TER TROLLEY
 AISI 304 Stainless steel trolley, with push handle.

3 shelves with upstands (3,5 cm) on four sides 4 revolving rubber castors Ø 80 mm. Size: 70x50x h 82 cm - weight 13 kg Delivered in kit form. Made in Italy



27436 DRESSING TROLLEY

Dressing trolley made of AISI 304 stainless steel with 2 70 x 50 cm shelves, 1 drawer (40 x 50 x h 15 cm), basin holder and basin. 4 revolving castors Ø 100 mm.
Size: 70 x 50 x h 80 cm

Weight: 18 kg Delivered in kit form. Made in Italy.



- 27460 DELUXE TROLLEY
- 27461 DELUXE TROLLEY with drawer
 62 x 42 cm

Size: 65 x 45 x h 80 cm

Top quality Trolleys made of lightweight anodized special alloy, with detachable stainless steel shelves.

4 revolving rubber castors Ø 80 mm. Delivered in kit form. Made in Italy.



- 27429 GIMA 2 TROLLEY
- small: 60x40x h 77 cm Weight 15 kg
- 27425 GIMA 2 TROLLEY
- medium 70x50x h 77 cm

Practical trolleys with aluminium body and handles. With 2 white bilaminated shelves 18 mm thick, black PVC bordered, with guard-rail. Two large lateral handles facilitate transport or lift up of the trolley. 4 revolving nylon castors Ø 80 mm

- 27426 GIMA 3 TROLLEY
- medium 70 x 50 x h 77.

Same as GIMA2, but without guard rail. Delivered in kit form. Made in Italy.



MAYO TABLES

LAUNDRY TROLLEY REX TROLLEY



code 27454). With 5 spoke with castors, 50 mm Ø (27453), or AISI 304 s/s base with 4 castors, 50 mm (27454).

Adjustable height: 70 to 110 cm Weight: 9.3 kg (27453 and 27454)

 27455 MAYO TABLE with pump Similar to 27454, but with pump. Removable s/s tray, size 75 x 54 cm, s/s AISI 304 base with 4 castors (50 mm) Adjustable height: 85 to 120 cm Weight: 23 kg Size: 68x44x h85/120 cm Delivered in kit form. Made in Italy

Made in Italy • 27463 SIDE PANEL - painted steel

. 27462 WRAPPING BAG - blue washable up to 2000 times



27439 REX TROLLEY

Complete stainless steel dressing trolley. Supplied with 3 shelves, waste bin, drawer, support for bottles, guard rails on the two bottom shelves, 4 wheels, Ø 100 mm (2 with brakes). Size: 79x50x h 120 cm (handle included). Delivered in kit form (75x52x112 mm). Made in Italy

OVERBED TABLE

BOWL STANDS



27458 OVERBED TABLE


Chrome plated steel stand, painted steel base. Tiltable and sliding serving tray made of thermoformed anti-shock plastic material with retaining edges and incorporated bottle, glass and cutlery holder.

Base with 4 Ø 50 mm castors. Adjustable height: 80 to 115 cm Size: 42 x 65 x h80/115 cm. Delivered in kit form. Made in Italy



27456 SINGLE BOWL STAND 27457 DOUBLE BOWL STAND

Chrome plated steel stand with stainless steel base and 5 plastic wheels, one with brake Adjustable height from 60 to 95 cm Stainless steel bowl Ø 32 cm Available with one or two bowls. Delivered in kit form.



SOILED LINEN TROLLEY



27467 SOILED LINEN TROLLEY

 27468 DOUBLE SOILED LINEN TROLLEY Chrome plated frame with 3 or 4 castors Ø 80 mm. Removable bag. Size: Ø 46 x h 95 mm. Delivered in kit form



MULTI-FUNCTIONAL TROLLEYS: BASIC AND DRESSING

MULTIFUNCTIONAL TROLLEYS: BASIC - DRESSING

These multifunctional professional trolleys have painted steel structure and external plastic finishing. Basic and Dressing are available in 4 different sizes (small, standard, medium, large). Provided with 4 or 8 drawers, one lateral basket and one extra lateral table. Four revolving rubber wheels Ø 125 mm.

Made in Italy













BASIC TROLLEY - 4 sizes

Standard version without accessories



PARTITION KIT

- · 27470 KIT for drawer 30 cm 8 comparts
- 27471 KIT for drawer 45 cm 25 comparts
- 27472 KIT for drawer 60 cm 25 comparts Size: 20/35/50x43xh7 cm

DRESSING TROLLEY - 4 sizes

Same as Basic, but equipped with kidney dish, instrument tray and upper drawers

BASIC	DRESSING	Size	Size of trolley (cm)	Number of	Size of drawers cm					
	DIEZZINO	Type	(without accessories)	drawers	45x48xh13	45x48xh27	EPrinstance	60x48xh27	90×48×1/13	30x46xh27
27477	27478	Small	67 x 64 x h100	4	3	1	-	-	-	-
27480	27481	Standard	82 x 64 x h100	4		- 22	3	1	-	
27476	out the one	Standard	82 x 64 x h100	9.	-	- 23	2	2	8	- 1
27483	27484	Medium	102 x 64 x h100	8	3	1			3	- 1
27486	27487	Large	115 x 64 x h100	В	- 1	47	3	1	3	1

RECORD HOLDERS AND X-RAY FILM HOLDERS TROLLEYS



- 27492 RECORD HOLDERS TROLLEY 2 large drawers Record trolleys are designed to hold clinical reports in A3/A4 format or specific format. Frame in epoxy painted steel, working surface and panels in technopolimer plastic. Equipped with 4 Ø 125 mm revolving rubber castors (2 with brake). Sumpers around the perimeter. Made in Italy. Size: 820 x 640 x 1,000 h mm (code 27491 and 27490) 820 x 640 x 1,150 h mm (code 27492).
- 27493 FILE RACK A3

• 27488 X-RAY FILM HOLDER

This trolley has 32 extractable compartments, a wide top surface, 4 side document holders, and a sliding out writing surface. Frame is in painted steel with sliding-in bilaminated doors with a 270° opening. Base and lateral cabinets are made in technopolimer material. Equipped with 4 0125 mm revolving rubber castors (2 with brake). Size 820x640x1200 h mm. Made in Italy.

27489 COMBO FILES AND X-RAY FILM HOLDER

Same as above, but with 15 X-ray compartments and drawer that holds up to 25 files.



EMERGENCY TROLLEY

EMERGENCY TROLLEY - 2 size, 2 colour

Professional trolley with painted steel structure and external plastic finishing equipped with 4 drawers, one lateral basket, one extra lateral table, I.V. stand, defibrillator holder (plexiglass tray), oxygen holder up to 5 litres (back), 4 antistatic rubber castors.

- 27479 EMERGENCY TROLLEY small 67x64xh100 cm
- . 27482 EMERGENCY TROLLEY standard 82x64xh100 cm





AURION MULTIFUNCTIONAL TROLLEYS - TOP QUALITY



27862 FRONT

3 with brake and 1

27860

Aurion trolley
A multifunctional and revolutionary
superior quality and complete accessories.
Body is made of a single rounded piece of Baydur
polyurethane material manufactured by Bayer AG,
it can be washed and disinfected. It does not react with
diluted acids, alkali and solvents, It is self-extinguishing
according to class UL VO. All carts are Latex free. For safety,
brawer handles are moulded into the body. Trolley's top has a 4-sided
too mm moulded containing rim to avoid any spilling/falling of
materials. All around bumper protection is included to avoid
any damage to the personnel, cart and medical devices.
Size 775x710x920 h mm

AURION

DRESSING

- 27860 AURION BASIC TROLLEY
- 27861 AURION DRESSING TROLLEY with IV stand and upper drawers
- 27862 AURION EMERGENCY TROLLEY with IV stand and defribrillator tray

27861

DRUGS & MEDICINE TROLLEYS BACK 27497

- 27495 • 27494 PHARMACY TROLLEY - small
- 15 3-compartment partition
- 27495 PHARMACY-TROLLEY standard
- 20 3-compartment partition
- 27497 PHARMACY TROLLEY large

30 3-compartment partition

A portable pharmacy, allowing to manage daily or weekly treatment of patients, with 15/20/30 3 compartments small drawers for easy drug storage (45-60-90 spaces). Painted steel frame, tecnopolimer surface and panels. Can be completely closed by safety key lock. Provided with 4 revolving castors Ø 125 (2 with brake); Size 820/1150 x 640 x 1000 h mm. Made in Italy.

27498 PARTITION - 3 compartments





27499 DOUBLE FACE PHARMACY TROLLEY

Two trolleys in one: 3 large drawers on one side, 30 (6+9+15) monodose cassette on other side; with locking system. Size of cassettes.

- 6 cassettes 115x290x h 75 mm
 9 cassettes 115x290x h 45 mm
- 15 cassettes 70x290x h 45 mm

Size of trolley: 920x590x810h mm Provided with 4 revolving castors Ø 125 mm (3 with brake, 1 of trolley, antistatic).

Made in Italy.



 27923 CABINET TROLLEY - empty Ideal for transport of pharmacy and other materials. Supplied empty, you have to choose trays among below and personalize. Frame in painted steel. Curtain door with key locking system. Provided with 4 revolving castors Ø 125 (2 with brake, 2 antistatic). Size: 670x640x1550h mm
 Made in Italy

- 27924 PLASTIC TRAY 600x400x50h mm
- 27925 PLASTIC TRAY 600x400x100h mm
- 27926 BILAMINATED SHELF 600x400x8h mm
- 27927 WIRE BASKET 600x400x150 mm





DRUGS & MEDICINE CABINET





 27915 MEDICINE CABINET - with inner dangerous drugs compartment.

Entirely constructed from bilaminate 20 mm thick, standard colour grey (ABET 478). Base made of 4 legs diam. mm 60 with adjustable ABS feet. Two lockable doors turning through 270° fitted inside with 2 ABS thermoformed containers with 16 medicine compartments; perimetrical anti-dust gaskets. Inside cabinet: two double ABS thermoformed containers turning through 90° with 32 medicine compartments complete with transparent plexiglass rings; 5 adjustable shelves; dangerous drugs compartment provided with lock and drop front to be used as working top. Dimensions 100x60x h. 190 cm. Made in Italy.



■ MAGNETOTHERAPY UNITS: DOMICILIARY AND PROFESSIONAL MODELS



- 28326 MAGNETOTHERAPHY PROFESSIONAL unit only
- 28327 KIT: 1 BELT + 2 PLATE TRANSDUCER 100 Gauss
- * 28323 VELCRO ELASTIC BAND 100 x B cm spare
- 28325 CYLINDER Ø 24 cm 100 Gauss
- 28329 CYLINDER Ø 50 cm 80 Gauss
- 28328 CYLINDER Ø 60 cm 80 Gauss

MAGNETOMED is an ELF magnetotherapeutic unit designed for ambulatory or at patient home professional applications. It is useful in the therapies that require treatments repetition for a long period and/or long duration accessions, or therapies on traumatized or immobilized patient that have difficulty to reach a physioterapeutic ambulatory.

Applications

The main effects of the ELF magnetic therapeutic fields are: - antiaedemic, antalgic, antiflogistic, regenerative Main field of application are: traumatology, rheumatology, angiology, neurology, dermatology, endocrinology.

* 28321 GIMA MT BASE PLUS - magnetotherapy

Magneto Base Plus + is an ELF low frequency magnetotherapic unit designed for domiciliary applications.

The most important effects of the magnetic fields are: Antiedemigen / Analgesic / Antiphlogistic / Regenerative and have applications in: traumatology, rheumatology, angiology, neurology, dermatology, endocrinology.

The magnetic field produced is impulsive.

The internal generator produces square waveform electrical current with frequency varying from 10 to 99 Hz and impulse time varying so to obtain a field's intensity determinated from 10 to 80 Gauss.

Internal sound sensor of magnetic field and safety system in the case of short-circuit.

Two transducers can be connected at the same time (the field produced by each transducer is half of the total).

GIMA	ACCESSORIES FOR MAGNETOTHERAPY	Minimum order	
	Plate transducer 70x120 mm Velcro elastic band 100x8 cm	1 pc 1 pc	

GIMA MT BASE: STANDARD ACCESSORIES

GIMA MT base unit power cable

2 plate transducers 80 gaus - 120 x 70 mm 1 velcro elastic band 60 x h 8 cm 1 velcro elastic band 100 x h 8 on A85 carrying case Manual (English, Italian)

TECHNICAL SPECIFICATIONS

Working frequencies: 2, 5, 10, 20, 30, 40, 50, 60 Hz. Intensity control: 20, 40, 60, 80; 991s Waveform: rectangular Time of treatment: 1-99 min Active channels: CH1 - CH2 - CH1+CH2 Operating Voltage: 113/230V - 50/60 Hz switchable Power: 220 VA Norms: EN00001-1 (CE162-5) - €€93/42 EEC



Plates and Cylinder are not included in standard configuration.



TECHNICAL SPECIFICATIONS

Waveform: square
Max. ratio emission/plause: 30%
Selectable magnetic field from 10 to 80 Gauss
Selectable frequency: from 10 to 99 Hz.
Intensity of magnetic field: 80 Gauss (8mT)
Operating voltage: 230x/30-80 Hz
Size: 193 x 138 x h 08 mm
Weight: 1 kg
Sefety class: II 8F - Norm: EN00001-1 (CE102-5)

GIMA UT AUTOMATIC: ULTRASOUND THERAPY UNIT



28310 GIMA UT AUTOMATIC

ultrasound therapy unit without head

GIMA UT Automatic is an automatic system for ultrasound therapy which makes possible the use of any ultrasound head with oscillation frequency from 1 MHz to 3 MHz. Pulse frequency is 2 pulses/second. Modulation degree is

TECHNICAL SPECIFICATIONS

Treatment time: programmable from 1 to 99 minutes Selectable pulsertime %: 10%-20%-30%-50%-100% Pulse frequency: 2 pulses/second.

Max. power: 3 W/om

Operating voltage: 115/230 V - 50/60 Hz - switchable Size: 360 x 265 x 150 mm Weight: 8 kg

Safety class | BF - C€ 93/42/EEC

Norms: EN 60601-1 (CE: 62-5)/IEC 601-2-5 (CE: 62-23)

selectable from 10% to 100 %, through a digital keyboard. It is provided with digital adjustment of intensity with numeric indication. Maximum output power is: 37.7 W (3 W/cm2) for standard head, 5.28 W (3 W/cm²) for thin head. Luminous read-out for distributed power. Gima UT is recommended for: ultrasound lipoclasia, sports medicine, arthritis, artrosis, neuralgie and lumbago. Supplied with power cord and user's manual. Made in Italy.

- 28312 1 MHz ultrasound head Ø 60 mm
- . 28314 1 MHz ultrasound thin head Ø 15 mm
- 1 MHz frequency is recommended for physiotherapy.
- 28313 3 MHz ultrasound head Ø 60 mm
- . 28315 3 MHz ultrasound thin head Ø 15 mm
- 3 MHz frequency is recommended for aesthetics.



C5Q

MED

- E

-IT BITTO





STANDARD ACCESSORIES

4 cables for electrodes connections Power cable 2 m

4 rubber electrodes 120 x 80 and 4 rubber electrodes 50 x 50

4 cushioned bags for electrodes 120 x 80: and 4 bags 50 x 50 3 velcro elastic belt in para rubber, length 1 m - 60 cm - 40 cm 28330 GIMA ET 2 programmable - 2 channels 0001 ET 2 is a modern apparatus for electronic diagnosis and a vast field of low frequency electrotherapy applications. The varied impulsive current delivered by this unit can be used for therapy in painful syndromes and circulatory throngs as well as in the rehabilitation of muscular tissues and for invigorating hypertrophizating treatment in passive gymnastics for aesthetic purposes.

28332 Connecting cable

- 28333 Rubber electrodes 120x80 mm box of I0
- 28334 Sponge bags for electrodes 120x80 mm box of 10
- 28335 Rubber electrodes 50x50 mm box of 10
- 28336 Sponge bags for electrodes 50x50 mm box of I0

TECHNICAL SPECIFICATIONS

Current adjustment independent for each channel Programmable treatment from 1 to 95 minutes Action time: I ms - 3 sec (10 ms - 50 sec for FAR4) Repetition frequency: 1 - 500 Hz.

Max current intensity impulsive: 60 mA - galvanic: 25 mA Operating voltage: 115/230 V - 30/60 Hz

Size 470 x 250 x 150 mm Weight 6 Kg

Norms: EN 60601-1 (CEI62-5)/IEC601-2-10 (CEI62-24)

Class I type BF 93/42 EEC

MIO-CARE 2-CHANNELS TENS - 20 PROGRAMS, 300 APPLICATIONS

28370 MIO-CARE TENS

2 independent channels stimulator.

Compensated biphasic square wave: avoid hazardous thermic effect of polarization

- Digital easy to use keyboard

Remaining therapy time and programs instruction shown on graphic display

Internal rechargeable battery pack

Maximum intensity 200 mApp Compliance with 93/42/EEC MDD (medical device CE0476) Supplied in a carrying bag with 2 connection cables, with splitters, 5 language user manual, 16 adhesive pads, internal rechargeable battery with battery charger.

28372 SQUARE PRE-GELLED ADHESIVE PADS 40x40 mm - spare

28373 RECTANGULAR PRE-GELLED ADHESIVE PADS 40x80 mm - spare

20 MEDICAL PROGRAMS, MORE THAN 300 APPLICATIONS tens conventional (rapid) Microcurrent Tens endorphinc (delayed) Stress incontinence Tens maximum values Urgency incontinence

Inflammatory Neck pain/cervicogenic headache Backachericiatic pain Sprains/hruises Vascularigation

Munde relaxant Haematomas Atrophy prevention Atrophy (trophism rehabilitat

Hand and wrist pain Plantar stimulation Epicondylitis Epitroclea Periarthritis

